

**KEYED ALIKE CODES FOR MASTER PADLOCKS**

<b>1KA</b>	2059	<b>2325</b>	<b>2653</b>	3225	<b>A473</b>	<b>0536</b>	<b>2803</b>	<b>2032</b>	<b>2703</b>	<b>0441</b>	<b>0851</b>	<b>3033</b>	<b>3181</b>	
A196	2061	2332	2670	3240	A551	2001	2894	2042	2402	0442	0863	3034	3182	
A292	2065	2337	X2677	3249	0322	2002	2916	2043	3526	0455	0864	3035	3183	
A310	2067	2342	2678	3252	0464	2006	3102	2069	3753	0456	0865	3036	3184	
A326	2069	X2342	2680	3295	2001	2010	3111	2124	3900	0462	0876	3051	3185	
A343	2075	2344	2681	3303	2002	2035	3210	2126		0464	0866	3056	3186	
A382	2079	2345	2688	3312	2006	2041	3249	2179		0465	0878	3066	3187	
A383	2081	2346	2689	3334	2010	2042	3252	2246	<b>2KALN</b>	0466	0880	3075	3188	
A389	2083	2351	2692	3335	2016	2043	3312	2311	2441	0467	0881	3076	3189	
A431	2085	X2355	2693	3347	2032	2053	3318	2325	X2907	0468	0882	3082	3190	
A432	2093	2357	2696	3358	2035	2061	3403	2326		0484	0899	3083	3191	
A461	2096	2358	2698	3400	2043	2063	3447	2337	<b>2MK</b>	0487	0911	3086	3192	
A473	2015	2359	2700	3401	2053	2081	3460	2374	AM1	0488	0912	3098	3193	
A482	2106	2362	2703	3402	2065	2085	3464	2402		0516	0917	3100	3194	
A549	2120	2364	2716	3403	2081	2093	3476	X2431	<b>3KA</b>	0517	0918	3101	3195	
A565	2121	2369	2723	3436	2085	2096	3532	2532	A112	0519	0943	3102	3196	
A708	X2121	2376	2725	3447	2096	2121	3554	2604	A165	0523	0944	3103	3197	
A723	2122	2383	2728	3454	2120	2126	3769	2706	A196	0524	A1066	3104	3198	
A757	2123	2387	2729	3476	2121	2130	3945	2722	A235	0530	2001	3105	3199	
A1010	2124	2391	2730	3478	2126	2136		2725	A272	0531	2002	3106	3200	
A1292	2126	2395	2750	3489	2127	2179		<b>1KALN</b>	2803	A297	0532	2006	3107	3201
A1384	2136	2396	2752	3554	2136	2196	0356	2945	A383	0536	2007	3108	3202	
A1463	2138	2401	2753	3556	2196	2205	0460	2946	A386	0537	2043	3109	3204	
A1548	2140	2402	2759	3623	2241	2235	0464	2960	A389	0538	2053	3110	3205	
A1901	2141	2403	2668	3629	2246	2246	0536	3252	A406	0541	2057	3111	3206	
A1922	2144	2404	2771	3659	2258	2255	2126	3753	A421	0550	2113	3112	3210	
A1980	2159	2405	2776	3676	2259	2265	2127	3918	A431	0551	2009	3113	3211	
0322	2170	2413	X2776	3734	2357	2332	2128		A433	0561	2121	3114	3212	
0356	2173	2429	2778	3744	X2359	2342	2241		<b>2KAB</b>	A445	0562	2126	3115	3213
0359	2176	2430	2688	3753	2396	2343	2301		A500	0563	2130	3116	3216	
0364	2179	X2430	2788	3769	2402	2345	2321	2035	A588	0566	2151	3117	3217	
0384	2184	2431	2800	3774	2404	2357	2329	2043	A1066	0573	2171	3118	3218	
0392	2188	2438	2803	3795	2405	2358	2333	2045	0304	0574	2178	3119	3220	
0393	2189	2439	2804	3809	2409	2359	2337	2179	0305	0575	2179	3120	3221	
0411	2192	2440	2810	3824	X2430	2369	2357	2337	0316	0577	2192	3121	3222	
0430	2196	2444	2813	3900	2440	2376	2359	2349	1324	0592	2206	3126	3223	
0434	2200	2480	2815	3918	2503	2396	2396	2374	0338	0593	2240	3127	3225	
0536	2202	2500	2827	3945	2520	2402	2402	2396	0339	0595	2257	3128	3226	
0537	2203	2501	2840	3990	2526	2404	2441	2537	0342	0610	2284	3129	3227	
0574	2204	2503	2849		2532	2429	2475	2960	0343	0636	2311	3130	3228	
0595	2206	2507	2855	<b>1MK</b>	2537	2438	2503	3221	0344	0637	2344	3131	3235	
0683	2207	2513	2882	AM1	X2592	2440	2520	3249	0345	0651	2357	3132	3237	
0713	2208	2520	2894	AM2	2608	2497	2523	3282	0351	0652	2359	3133	3242	
0753	2214	2522	2913	AM6	2730	2503	2528	3290	0352	0700	2392	3134	3247	
0863	2224	2526	2916	AM21	2803	2508	2537		0353	0701	2396	3135	3248	
2001	2225	2528	2930	AM24	2894	2519	2608		<b>2KABLE</b>	0354	0713	2402	3136	3249
2002	2226	2532	2940	M2	2940	2520	2803	2771	0356	0715	2403	3137	3250	
2003	2232	2533	2946	SC869	3066	2522	2844		0357	0736	2465	3138	3252	
2004	2240	2536	2959	SM1	3210	2526	3210		<b>2KALF</b>	0358	0738	2473	3139	3253
2005	2244	2537	2968	SM2	3253	2528	3249	2321	0383	0753	2493	3140	3257	
2006	2245	2540	2992	SM4	3330	2532	3318	2337	0386	0754	2507	3141	3258	
2007	2246	2556	2996	SM6	3447	2537	3461	3252	0387	0759	2526	3142	3259	
2010	2253	2560	3033	SM19	3476	2543	3606	3753	0388	0760	2532	3143	3264	
2016	2255	2562	3035	SM37	3554	2556	3844		0389	0761	2550	3148	3265	
2019	2258	2576	3042	SM301	3889	2590	3900		<b>2KABLE</b>	0404	0766	2562	3153	3266
2020	2261	2587	3066	SM955	1KALJ	2591		A520	0405	0769	2590	3160	3269	
2023	2265	2590	3148	SM737	A381	2537	2KA		0408	0790	2725	3163	3272	
2024	2271	2592	3197		A383	2608	A112	<b>2KALJ</b>	0410	0791	2730	3164	3273	
2032	2272	X2592	3201	<b>1MKLF</b>	A389	2700	A520	2126	0411	0798	2759	3165	3275	
2035	2284	2602	3202	AM1	A473	2723	A142	2316	0418	0799	2803	3171	3276	
2041	2289	2608	3206	AM2	A1384	2729	0410	X2316	0420	0802	2887	3175	3278	
2042	X2289	2623	3208	SM6	0322	2730	0464	2337	0426	0818	2894	3176	3280	
2043	2300	2639	3210		0356	2772		2402	0427	0819	2976	3177	3281	
2045	2301	2643	3212	<b>1KALF</b>	0430	X2772	0482	2532	0430	0831	3030	3178	3284	
2050	2319	2645	3213	A314	0640	2776	0536	2537	0431	0832	3031	3179	3285	
2053	2324	2652	3220	A383	0532	X2776	2004	2553	0434	0836	3032	3180	3303	



AskYourLocksmith.com  
 Lancaster, Pennsylvania  
 Phone 717-392-6333

**KEYED ALIKE CODES FOR MASTER PADLOCKS**

3310	3542	3802	M10	3153	2020	0712	A108	A507	A1302	A418	A500	P160	P700
3311	3545	3810	SB36	3167	2035	2001	A112	A508	A1313	A421	A518	P180	P701
3318	3546	3824	SB730	3201	2043	2301	A113	A516	A1319	A431	A548	P185	P711
3319	3547	3826	SB732	3203	2126	2508	A117	A518	A1384	A432	A549	P191	P717
3330	3548	3830	SB733	3204	2206	2803	A122	A521	A1389	A440	A566	P207	P728
3336	3550	3837	SB734	3206	2311	2894	A130	A525	A1394	A445	A870	P209	P738
3340	3551	3843	SB736	3210	2206	3202	A141	A529	A1447	A457	A1159	P212	P760
3341	3552	3850	SB737	3212	2311	3203	A147	A532	A1452	A473	A1452	P216	P761
3345	3553	3852	SB741	3215	2314	3204	A150	A536	A1453	A475	A1463	P220	P763
3346	3554	3863	SM6	3220	2359	3212	A165	A537	A1465	A478		P225	P764
3347	3555	3866	SM217	3221	2396	3216	A172	A541	A1478	A482	<b>6KA</b>	P241	P769
3348	3556	3867	SM726	3223	2402	3242	A178	A548	A1501	A500	A165	P243	P777
3353	3557	3877	SM729	3252	2508	3476	A188	A549	A1513	A566	A250	P246	P782
3354	3558	3900	SM731	3273	2516	3687	A195	A550	A1517	A614	A383	P255	P783
3357	3559	3909	SM733	3226	2592	3231	A220	A551	A1518	A673	A389	P258	P785
3358	3560	3910	SM734	3358	2894	3252	A225	A562	A1543	A699	A406	P279	P803
3359	3576	3918	SM736	3359	2902	3381	A240	A565	A1548	A700	A437	P282	P805
3365	3579	3925	SM738	3359	3176	3439	A242	A566	A1979	A956	A465	P286	P806
3369	3581	3937	SM739	3381	3210	3900	A243	A568	A2001	A1159	A473	P297	P810
3374	3582	3945	SM741	3447	3212		A250	A580	A2002	A1384	A520	P305	P812
3375	3594	3850		3573	3213	<b>4MK</b>	A252	A585	A2082	0356	A537	P308	P816
3381	3595	3961	<b>3MKLF</b>	3579	3217	5B730	A253	A589	A2126	0501	A791	P310	P820
3384	3596	3962	M10	3587	3223	4KAB	A255	A613	A2166	0536	A839	P316	P823
3386	3597	3966		3600	3249	0464	A272	A614	A2179	2730	A1520	P329	P824
3387	3600	3971	<b>3MKLH</b>	3606	3250	1536	A273	A619	0356	3235	A1839	P350	P825
3388	3603	3973	SM741	3687	3252	0637	A279	A622	0467	3693		P351	P826
3392	3604	3975		3704	3253	2326	A281	A631	0536		<b>6KAB</b>	P396	P827
3396	3606	3980	<b>3KALF</b>	3735	3273	2803	A289	A673	2126	<b>5KALJ</b>	A278	P405	P830
3397	3621	3995	A112	3753	3303	3212	A291	A689	2184	A101	A383	P407	P838
3407	3623		A253	3757	3311	3731	A293	A690	2245	A103	A551	P408	P840
3409	3624	<b>3KABLK</b>	A383	3769	3318	3249	A297	A691	2357	A104	A791	P410	P843
3410	3632	0589	A473	3795	3330	3282	A309	A699	2396	A108	A859	P419	P847
3419	3643	0591	A1066	3850	3345	3900	A310	A700	2402	A112	A1839	P420	P848
3433	3659	0649	0310	3877	2252		A311	A707	2426	A113		P451	P850
3434	3672		0311	3900	3357	<b>4KABLF</b>	A322	A717	2759	A117	<b>6KALF</b>	P467	
3436	3674	<b>3KAGRN</b>	0312	3905	3378	3966	A326	A718	3225	A118	A580	P477	<b>7MK</b>
3437	3676	0410	0313	3910	3381		A337	A731	3247	A122	3943	P481	SM70
3442	3679	0720	0316	3945	3410	<b>4KABLH</b>	A343	A802	3334	A130	3900	P491	SM72
3447	3688	0722	0317	3980	3434	3966	A361	A808	3381	A141		P493	SM74
3448	3679	0591	0318		3461		A372	A839	3411	A147	<b>6KALJ</b>	P495	SM77
3461	3687	3265	0356	3KALH	3476	<b>4KALF</b>	A376	A854	3447	A150	A190	P496	SM80
3464	3692	3900	0410	A112	3484	3031	A383	A857	3659	A152	A473	P499	SM75
3466	3693		0460	A134	3532	3212	A384	A865	3693	A165	A3900	P503	SM76
3467	3704	<b>3KARED</b>	0464	A383	3567	3242	A385	A868	3753	A172		P506	SM84
3472	3711	0338	0536	A1384	3579	3303	A389	A882	3864	A178	<b>6KABLF</b>	P508	SM179
3473	3716	0359	0635	0316	3596	3381	A406	A883		A200	A421	P511	SM198
3476	3721	0595	0713	0330	3606	3900	A418	A886	<b>5MK</b>	A240		P515	
3480	3722	0720	0813	0344	3620		A421	A897	SC862	A252	<b>6MKB</b>	P519	<b>7MKLF</b>
3481	3739	3030	0843	0353	3623	<b>4LALH</b>	A425	A902	SC864	A253	SC883	P521	SM69
3482	3742	3034	0944	0356	3688	0843	A432	A910	SC869	A272	SC890	P541	
3484	3747	3165	2001	0434	3693	2703	A440	A954	SC890	A310	SM881	P555	<b>7MKLJ</b>
3485	3752	3475	2002	0464	3735	3031	A441	A1010	SC897	A337	SM900	P569	SM76
3498	3753	3911	2004	0516	3752	3242	A445	A1017	M25	A361		P579	
3499	3756		2010	0523	3753	3381	A455	A1021	SM897	A383	<b>7KA</b>	P590	<b>7KALE</b>
3506	3757	<b>3KAWHT</b>	2130	0530	3757	3736	A457	A1037		A389	P104	P592	P127
3507	3759	0400	2136	0532	3763	3753	A459	A1092	<b>6KALF</b>	A421	P105	P593	P150
3508	3761	0592	2226	0536	3769	3900	A473	A1150	A112	A425	P107	P600	P211
3509	3765		2332	0538	3910		A475	A1156	A113	A429	P108	P603	P216
3514	3769	<b>3KAYLW</b>	2359	0630	3918	<b>4MK</b>	A476	A1157	A117	A432	P109	P605	P491
3515	3780	0435	2402	0729	3945	SB730	A478	A1159	A122	A437	P113	P608	P493
3523	3782	0436	2507	0851			A482	A1163	A141	A440	P126	P609	P541
3526	3785	0593	2511	0863	<b>4KA</b>		A483	A1164	A252	A472	P127	P612	P451
3527	3788	0594	2803	0861	0464	<b>5KA</b>	A484	A1168	A253	A473	P130	P617	P609
3532	3790		2894	2001	0532	A101	A500	A1179	A322	A475	P139	P621	P621
3541	3796	<b>3MK</b>	3110	2002	0536	A103	A501	A1206	A383	A478	P150	P622	P701
3540	3799	B10	3111	2010	0577	A104	A508	A1220	A389	A484	P156	P650	P716



KEYED ALIKE CODES FOR MASTER PADLOCKS


P718	P241	10T238	2407	0427	P265	3102	10L431	0741	2076BLU	13G592	13G644	10L469	10G184
P757	P526	10T308	3212	0501	P763		10L478	3551	V648	13G641	13G645	11L255	10G215
P761		10T460		2201			10L552	3593		13G642	13G819		11G125
P812	<b>8MK</b>	10T518	<b>21KALJ</b>	2202	<b>101KA</b>	10L008	10L788		<b>4120KA</b>	13G643	13G842	<b>6125KALJ</b>	11G073
P830	<b>SM69</b>	14T007	10L006	2203	10L101	10L011		<b>475KA</b>	132	13G644	19G785	10G041	12G076
		15T498	10L310	2204	10L464	10L033	<b>312KA</b>	A549		13G645		10G184	12G078
<b>7KALJ</b>	<b>10KA</b>	15T990	10L471	2205	10L468	10L036	X2194	A1156	<b>4130KA</b>	13G819	<b>6125KA</b>	10G215	
P107	L23	19T155		2206	11L215	10L039	2702	2006	243	13G918	10G010	10G230	<b>612KAW17</b>
P216		19T451	<b>21KALW1</b>	2207	12L937	10L045	2803	2096		19G184	10G012	10G308	10T321
P305	<b>11KA</b>	19T454	0863	2209	14L156	10L220	3210	2126	<b>4140KA</b>		10G041	11G004	10T327
P312	0629	19T454	2329	2210	14L158	10L320		2276		<b>6121KA</b>	10G184	11G304	
P315	0637	19T458	3402	2211	15L737	10L431	<b>387KA</b>	2325	2341	<b>W1</b>	10G215	11G305	<b>6230KA</b>
P477		19T459		2212		10L669	0387	2402	<b>4150KA</b>	A437	10G221	11G308	10G019
P592	<b>11KALF</b>	19T460	<b>21KALN</b>	2292	<b>101KA</b>	10L680		2413	41332	0234	10G230	11G316	10G041
P597	0629	19T461	10L320	3328	<b>W1</b>	10L771		2429		2043	10G308	11G682	10G184
P599	0637	19T462	10L647	3331	2153		<b>BLU</b>	2523	<b>6121KA</b>	2179	10G509	11G683	10G207
P600	2176			3377	3753	<b>220KALH</b>	3XX0001	2536	10G012	2337	10G538	11G684	10G215
P602		<b>17KALH</b>	<b>22KA</b>	3392		10L008	3XX2988	2627	10G014	2402	10G810	11G685	10G236
P603	<b>11KALH</b>	10T015	280	3438	<b>105KA</b>	10L011	4XX1219	2690	10G033	3753	11G004	11G693	10G238
P604	0637	10T085	336		041	10L033			10G040		11G304	11G694	10G304
P608		10T321	337	<b>40KA</b>	048	10L036	<b>410KA</b>	<b>500KA</b>	10G072	<b>6121KA</b>	11G305	12G069	11G125
P609	<b>15KA</b>	10T460	338	0313	075	10L039	<b>GRN</b>	199	10G101	<b>W27</b>	11G308	12G072	11G622
P610	10N018	10T546		0340		10L045	4XX1221	201	10G104	10L469	11G316	12G076	11G827
P611	10N035	10T809	<b>22KALF</b>	0370	<b>120KA</b>	10L220		203	10G155	<b>6121KA</b>	11G333	12G077	11G872
P612	10N036	19T459	337	0452	1A31	10L320	<b>410KA</b>	227	10G156	<b>LJ</b>	11G673	12G078	12G069
P616	10N051	19T460		0476	1A36	10L431	<b>ORJ</b>	255	10G184	10G001	11G682	12G184	12G544
P617	10N096	19T462	<b>24KA</b>	0501	1A38	10L517	4XX1224	263	10G215	10G009	11G683	12G275	
P618	10N161	19T809	10L193			10L617		269	10G304	10G013	11G684	13G053	<b>6230KAW17</b>
P609	10N163		10L469	<b>81KA</b>	<b>130KA</b>	10L771	<b>410KA</b>	370	10G305	10G020	11G685	13G273	10T321
P701	10N164	<b>21KA</b>		10R33	1B008	11L522	<b>PRP</b>	394	10G308	10G089	11G693	13G274	
P716	10N182	10L006	<b>24KAW1</b>	10R36	1B019		4XX1225	399	10G509	10G155	11G694	13G275	<b>6230LHW17</b>
P760	10N197	10L008	A443	10R37	1B032	<b>230KA</b>			10G668	10G184	12G053	13G324	10T327
P761	10N214	10L101	A475	15R79	1B041	10L008			10G683	10G216	12G069	13G348	
P812	10N450	10L193	A197	16R63	1B046	10L011	<b>410KA</b>	<b>500KABRK</b>	197	10G693	10G227	12G072	<b>6230KA</b>
P848	10N451	10L310	2006	18R01		10L033	<b>RED</b>	229	10G694	10G308	12G076	13G590	<b>LH</b>
P850	10N454	10L311	2404		<b>140KA</b>	10L036	4XX1227	267	11G004	10G727	12G077	13G591	10G041
	10N464	10L468		<b>81KALF</b>	1G003	10L039			11G043	11G004	12G078	13G592	10G047
<b>8KA</b>	10N523	10L473	<b>24KALJ</b>	10R05	1G008	10L045	<b>410KALT</b>	<b>510KA</b>	11G117	11G040	12G184	13G641	10G050
P104	10N536	10L588	10L193		1G014	10L220	<b>RED</b>	F16	11G071	11G304	13G053	13G642	10G184
P107	10N540	10L730	10L469	<b>81KALJ</b>	1G022	10L262	3XX0005	F27	11G304	11G305	13G273	13G643	11G004
P173	10N619	11L141		10R05	1G028	10L320	3XX1109		11G305	11G308	13G274	13G644	11G125
P185	10N680	14L588	<b>25KA</b>	13R65	1G032	10L431		<b>517KA</b>	11G308	11G316	13G275	13G645	11G184
P246	10N685	10L100		13R66		10L478	<b>410KA</b>	F29	11G316	11G682	13G589	13G819	11G622
P286	10N686	10L200	<b>21KAW1</b>	13R67	<b>150KA</b>	10L552	<b>TEAL</b>		11G682	11G683	13G590	13G843	11G693
P310	10N699	A1267		13R68	1K056	10L788	4XX1228	<b>1473KA</b>	11G683	11G684	13G591		11G992
P491	10N704	A1980	<b>27KA</b>	15R79	1K066	11L011		0340	11G684	11G685	13G592	<b>6127KA</b>	12G069
P581	10N752	0863	10L310	55R41	1K069	11L036	<b>410KA</b>	0501	11G685	11G693	13G641	10G014	12G086
P609	13N006	2043	10L469				<b>YLW</b>		11G693	11G694	13G642	10G016	12G163
P710	19N436	2329	15L110	<b>81MK</b>	<b>160KA</b>	<b>230MK</b>	4XX1230	<b>1480KA</b>	11G694	12G069	13G643	10G035	12G210
P713	19N451	2699		<b>SM564</b>	1Z005	ST431		0340	11G833	12G072	13G644	10G040	12G266
P719	19N455	3212	<b>27KAW1</b>		1Z036		<b>430KA</b>	0501	12G069	12G076	13G819	10G041	12G272
P738	19N456		2402	<b>82KA</b>	1Z048	<b>230KALH</b>	0430		12G071	12G077	16G537	10G184	12G336
P812	19N457			10R55	1Z053	10L008		<b>1710MK</b>	12G072	12G078	16G538	10G215	12G387
P850	19N464	<b>21KALF</b>	<b>31KA</b>			10L011	<b>443KA</b>	SL1	12G076	12G742		11G125	12G388
	19N485	10L101	10L120	<b>82KALJ</b>	<b>176KA</b>	10L036	0697	SL10	12G077	13G053	<b>6125KA</b>	12G069	12G486
<b>8KAB</b>	19N536	10L193	10L121	10R55	P177	10L033	0773	SL31	12G078	13G273	<b>W1</b>	12G921	12G510
P286		10L310	13L198		P801	10L036	3551	SL35	12G706	13G274	A473	14G612	
P310	<b>15KALH</b>	10L311		<b>90KA</b>	P104	10L039			12G742	13G275	2402	<b>6127KAW1</b>	14G622
P511	10N008	10L471	<b>31KALF</b>	P104	<b>176LHKA</b>	10L040	<b>443KALE</b>	<b>1714MK</b>	13G053	13G589		A437	16G889
P581	19N455	10L472	10L121	P250	P177	10L045	0697	SL14	13G273	13G590	<b>6125KA</b>		
	19N456	10L660		P302	P801	10L046	0773		13G275	13G590	<b>W17</b>	<b>6127KALH</b>	<b>6230KA</b>
<b>8KALF</b>	19N464	14L472	<b>31MK</b>	P413		10L201	3381	<b>1525</b>	13G275	13G591	10T321	<b>LHW1</b>	<b>LHW1</b>
P241			ST240	P541	<b>185KA</b>	10L220	3551	V629	13G589	13G592		10G014	2010
P713	<b>17KA</b>	<b>21KALFW1</b>			P209	10L262		V648	13G590	13G641		10G030	
	10T117	2329	<b>37KA</b>	<b>97KA</b>		10L320	<b>443KALK</b>	V688	13G590	13G642	<b>6125KA</b>	10G041	<b>6230KA</b>
8KALJ	10T155	2402	A897	<b>BULK</b>	<b>187KA</b>	10L430	0705		13G591	13G643	<b>W27</b>	10G069	<b>LHW15</b>

## KEYED ALIKE CODES FOR MASTER PADLOCKS

11N275	12G069		10G019
	12G706	<b>6835KA</b>	10G199
<b>6270KA</b>	12G818	<b>BLU</b>	10G221
<b>W6000</b>	12G819	10G256	10G229
10G016	13G589		10G232
10G040	13G591	<b>6835KA</b>	
10G047	13G592	<b>LFBLU</b>	<b>6850KALJ</b>
12G322	13G645	10G256	10G238
12G323			10G241
12G324	<b>6321KAW1</b>	<b>6835KA</b>	16G664
	2179	<b>LTBLU</b>	
<b>6270KA</b>	<b>6325KA</b>		<b>7030KA</b>
400K004	10G017		10G810
400K187	10G041	<b>6835KA</b>	17G679
400K332	10G215	<b>GRN</b>	
401K002	11G125	10G261	<b>7030KALF</b>
401K003	11G684		17G684
401K005	12G069	<b>6835KA</b>	
401K007	13G053	<b>RED</b>	<b>7030KALT</b>
400K008	13G589	10G273	17G685
402K135	13G641		
402K136	13G642	<b>6835KALF</b>	<b>7035KA</b>
402K143	13G643	<b>RED</b>	17G680
402K144	13G645	10G273	
402K146		17G289	<b>7040KA</b>
402K552	<b>6327KA</b>		11G095
404K005	10G041	<b>6835KALT</b>	11G232
404K006	10G181	<b>RED</b>	
404K007	10G215	17G829	<b>7040KALJ</b>
404K008	10G256		17G686
404K009	11G125	<b>6835KA</b>	
404K010	12G069	<b>ORJ</b>	
404K011		10G268	<b>7045KA</b>
404K012	<b>6327KAW1</b>		17G682
404K013	A383	<b>6835KA</b>	
404K014		<b>YLW</b>	<b>7050KA</b>
404K015	<b>6327KAW15</b>	10G279	17G683
404K016	10N050	10G503	
404K017			
404K018	<b>6327MK</b>	<b>6835KALF</b>	
404K019	SG418	<b>YLW</b>	
		10G279	
<b>6271KA</b>	<b>6830KA</b>		
400K007	10G001	<b>6835KALT</b>	
400K024	10G008	<b>YLW</b>	
400K105	10G101	10G001	
401K001	10G115	10G279	
401K002	10G122		
401K003	10G140	<b>6840KA</b>	
401K004	10G154	10G056	
401K005	11G852	10G153	
401K006		10G156	
401K008	<b>6830KALF</b>	10G163	
401K010	10G140	10G169	
401K011	10G154	10G175	
402K136		11G127	
402K143	<b>6830KALT</b>	11G129	
402K146	10G115		
402K422	10G154	<b>6840KALJ</b>	
402K552		10G156	
	<b>6835KA</b>	10G187	
<b>6321KA</b>	<b>BLK</b>	10G190	
10G047	10G250		
10G125			
10G184	<b>6850KALF</b>	<b>6850KA</b>	
10G215	10G250	10G001	

## Master Lock / American Lock

# Edge™



### Key Control

#### Patented Key Control System

- Low cost compared to other key control systems
- Keys can be duplicated on a standard key machine
- Uses standard pins from a #291 Pin Kit

Available in the following Locks

Master 1, 2, 3, 4, 5, 6

Master and American Rekeyable Padlocks

American Mortise, Rim and Door Hardware Cylinders

### 4 Security Levels

- Level 1** For locksmiths only. Any Locksmith may purchase locks, cylinders and key blanks for this series. No minimum order or contract required.
- Level 2** For locksmiths only. Key blanks marked with your exclusive ID Number. Your customer must come back to you for key duplication. Contract and \$300 Min. order required
- Level 3** For commercial users with an in house locksmith. Contract and minimum order required of 500 locks (4 pin), 300 lock (5 pin).
- Level 4** For commercial users that do not have an in house locksmith. System is factory controlled. No key blanks available for this series. Sold through locksmiths and industrial distributors only. No minimum order or contract required. User name and address is required.


Contact us for more information and pricing





## ONE KEY SYSTEM

Minimize your stock. Stock this one universal number, and you can make any KA number for your customers, as long as you have the key.


Great for when you run out of stock, or when you are faced with a KA code you and your distributor do not normally stock.




Insert key into padlock cylinder.



Using the fixture, push the plug into the cylinder to shear the pins.



Continue pushing the plug into lock body. Padlock is now custom keyed.



ML376 Punch Tool for Universal Pin Padlocks  
51.44

1 3/4" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 5/16" diameter steel shackle. Clearances: vertical 7/8", horizontal 3/4".

ML1UP 10.97 Universal Pin Padlock  
ML1LJUP 12.99 1 3/4" Steel Shackle

1 1/2" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle. Clearances: vertical 3/4", horizontal 5/8".

ML3UP 9.56 Universal Pin Padlock  
ML3LFUP 11.16 1 1/2" Steel Shackle

2" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 3/8" diameter steel shackle. Clearances: vertical 1", horizontal 15/16".

ML5UP 13.89 Universal Pin Padlock  
ML5LFUP 15.49 2" Steel Shackle

## Pro Series - Solid Steel



7030  
7040



7035  
7045

- Heavy case hardened steel body
- Hardened steel & boron alloy shackles for superior cut resistance
- Available in extended length shackles - inquire

1 9/16" Wide, 1/4" Dia. Shackle, 25/32" Horiz. Clearance  
1 1/16" Vertical Clearance

ML7030	Keyed Different	6/box	16.99
ML7030KA	Keyed Alike	6/box	17.94
ML7030LF	1 9/16" Shackle	6/box	19.14
ML7030LT	3" Shackle	6/box	19.44

1 9/16" Wide, 1/4" Dia. Shackle, 25/32" Horiz. Clearance  
1 1/16" Vertical Clearance

ML7035	Keyed Different	6/box	32.16
ML7035KA	Keyed Alike	6/box	33.11

1 3/4" Wide, 5/16" Dia. Shackle, 29/32" Horiz. Clrnce  
1 3/16" Vertical Clearance

ML7040	Keyed Different	6/box	18.74
ML7040KA	Keyed Alike	6/box	19.69
ML7040LJ	2 1/2" Shackle	6/box	21.09

1 3/4" Wide, 5/16" Dia. Shackle, 29/32" Horiz. Clrnce  
1 3/16" Vertical Clearance

ML7045	Keyed Different	6/box	33.22
ML7045KA	Keyed Alike	6/box	34.17

## PRO SERIES PADLOCKS

### Pro Series - Brass

Designed to provide extra protection against corrosion, abuse and attack. Solid brass lock bodies resist corrosion. Hardened steel & boron alloy shackles resist cutting attacks, and dead-locking stainless steel ball bearings resist prying. Brass spool pin tumblers are nearly pick-proof. Ideal for jobs requiring strong, durable performance in all weather conditions.



No. 6830  
1.5" Brass - Rekeyable

1 9/16" Wide, 1/4" Dia. Shackle, .784 Horiz. Clearance

ML6830	Keyed Different	6/box	17.11
ML6830KA	Keyed Alike	6/box	18.06

1 9/16" Wide - Interchangeable Core (Core not incl.)

ML6831W0		6/box	18.09
ML6831LFW0	1 1/2" Shackle	6/box	20.24

1 3/4" Wide, 5/16" Diam. Shackle, 1.198 Horiz. Clrnce

ML6840	Keyed Different	6/box	20.21
ML6840KA	Keyed Alike	6/box	21.16

2" Wide, .361 Diam. Shackle, 1.471 Horiz. Clearance

ML6850	Keyed Different	6/box	23.00
ML6850KA	Keyed Alike	6/box	23.95

2" Wide - Interchangeable Core (Core not included)


ML6851W0		6/box	24.28
ML6851LJW0	2 1/2" Shackle	6/box	26.63

2" Wide - Accepts Door Hardware Cylinders (Not Inc)

ML6852W0		6/box	19.43
----------	--	-------	-------

### Pro Series - Aluminum

Designed for long-lasting security. Solid Aluminum lock bodies resist corrosion. Bright colors make identification easy and OSHA compliance simple. Hardened Steel shackles resist cutting attacks, and dead-locking stainless steel ball bearings resist prying. Brass spool pin tumblers are nearly pick-proof.



No. 6835  
1.5" Aluminum - Rekeyable

1 9/16" Wide, 1/4" Diam. Shackle, .784 Horiz. Clrnce.

ML6835GRN	Green	KD	6/box	12.07
ML6835KAGRn	Green	KA	6/box	13.02

ML6835DRJ	Orange	KD	6/box	12.07
ML6835KAORJ	Orange	KA	6/box	13.02

ML6835RED	Red	KD	6/box	12.07
ML6840KA	Red	KA	6/box	13.02

ML6835YLW	Yellow	KD	6/box	12.07
ML6835KAYLW	Yellow	KA	6/box	13.02

ML6835BLK	Black	KD	6/box	12.07
ML6835KABLK	Black	KA	6/box	13.02

ML6835BLU	Blue	KD	6/box	12.07
ML6835KABLU	Blue	KA	6/box	13.02

• PRO SERIES

### WEATHER TOUGH™ REKEYABLE COMMERCIAL USE PADLOCKS



Master Pro Series Weather Tough™ padlock with 2 1/8" wide steel case & 5-pin W6000 removable cylinder. Replaceable 5/16" dia. case-hardened BORON alloy steel shackle. Shackle clearance 1 1/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

No.	Description	List Each
ML6121	Keyed Different	21.85
ML6121KA	Keyed Alike	22.80



Master Pro Series Weather Tough™ padlock with 2 3/8" wide steel case & 5-pin W6000 removable cylinder. Replaceable 3/8" dia. case-hardened BORON alloy steel shackle. Shackle clearance 1 3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

No.	Description	List Each
ML6125	Keyed Different	25.37
ML6125KA	Keyed Alike	26.32



Master Pro Series Weather Tough™ padlock with 2 5/8" wide steel case & 5-pin W6000 removable cylinder. Replaceable 7/16" dia. case-hardened BORON alloy steel shackle. Shackle clearance 1 3/8" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover and cylinder dust cover.

No.	Description	List Each
ML6127	Keyed Different	29.52
ML6127KA	Keyed Alike	30.47

### HIGH SECURITY REKEYABLE COMMERCIAL USE PADLOCKS



Master Pro Series High Security padlock with 2 1/8" wide steel case & 5-pin W6000 cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 5/16" dia. case-hardened BORON alloy steel shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

No.	Description	List Each
ML6321	Keyed Different	30.05
ML6321KA	Keyed Alike	31.00



Master Pro Series High Security padlock with 2 3/8" wide steel case & 5-pin W6000 cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 3/8" dia. case-hardened BORON alloy steel shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

No.	Description	List Each
ML6325	Keyed Different	35.56
ML6325KA	Keyed Alike	36.51



Master Pro Series High Security padlock with 2 5/8" wide steel case & 5-pin W6000 cylinder. Massive steel shackle guard protects shackle from saws, bolt cutters, and shackle prying. Replaceable 7/16" dia. case-hardened BORON alloy steel shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently. Weather resistant thermal plastic lock cover.

No.	Description	List Each
ML6327	Keyed Different	41.00
ML6327KA	Keyed Alike	41.95



Master Pro Series High Security padlock with 2 1/2" wide steel case & 5-pin W6000 cylinder. Massive solid steel lock body is hardened for saw and hammer resistance. Replaceable 7/16" dia. case-hardened BORON alloy steel shackle. Shackle clearance 3/4" vertical, 7/8" horizontal. Dual hardened steel balls lock each shackle leg independently.

No.	Description	List Each
ML6230	Keyed Different	28.53
ML6230KA	Keyed Alike	29.48
ML623DLH	2" Shackle	30.78

### REKEYING PARTS KIT

Components include:

- 200 Driver Pins
- 200 Driver Pins - Spool Design
- 200 Master Pins # 1-7
- 200 Regular Pins # 0-7
- 200 Tumbler Springs
- 3 Cylinder Extensions
- 6 Cylinder Retainer Doors
- 20 Retaining Nuts
- 12 Pro Series Retaining Nuts
- 1 Cylinder Assembly Tool
- 1 Key Cut Gauge
- 2 Hex Wrenches




No.	Description	List Each
ML291	Rekeying Parts Kit	87.99


• PRO SERIES

**PRO SERIES INTERCHANGEABLE CORE AND COMMERCIAL DOOR KEY SYSTEMS**


For the ultimate in security and "same key" convenience, High Security and Weather Tough® Pro Series padlocks can now be easily integrated into popular "interchangeable core" systems. Simply insert OEM 6 and 7 pin interchangeable cores into Pro Series 6400 and 6500 series lock bodies with the appropriate control key. Series 6400 and 6500 padlocks are supplied without cylinders and accept the following OEM cores: Best® Best® PKS, Kaba® Peaks, KSP® Lori®

**Master Pro Series Weather Tough® padlock** Designed to accept popular interchangeable core cylinders. Replaceable case-hardened boron alloy steel shackle. Dual hardened balls lock each shackle leg independently. Weather resistant thermoplastic lock cover and cylinder dust cover. Flow through debris channels. Padlock supplied without cylinder.

2 1/8" Wide Steel Body	INTERCHANGEABLE CORE				Retail
	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	
	ML6421WO	5/16"	1 1/8"	7/8"	25.01
	ML6421LJWO	5/16"	2 3/8"	7/8"	27.36

2 5/8" Wide Steel Body	INTERCHANGEABLE CORE				Retail
	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	
	ML6427WO	7/16"	1 3/8"	7/8"	34.91
	ML6427LHWO	7/16"	1 7/8"	7/8"	37.16

2 1/8" Wide Steel Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML6521WO	5/16"	3/4"	7/8"	35.73

2 5/8" Wide Steel Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML6527WO	7/16"	3/4"	7/8"	49.91

1 9/16" Wide Steel Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML7031WO	1/4"	1 1/16"	25/32"	18.93
	ML7031LFWO	1/4"	1 9/16"	25/32"	21.08
1 3/4" Wide Steel Body	ML7031LTWO	1/4"	3"	25/32"	21.38

1 3/4" Wide Steel Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML7041WO	5/16"	1 3/16"	29/32"	20.97
2" Wide Steel Body	ML7041LJWO	5/16"	2 1/2"	29/32"	23.32

1 9/16" Wide Brass Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML7051WO	3/8"	1 1/2"	29/32"	24.90
	ML7051LJWO	3/8"	2 1/2"	29/32"	27.25


1 3/4" Wide Brass Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML6831WO	1/4"	1 1/16"	25/32"	18.09
	ML6831LFWO	1/4"	1 9/16"	25/32"	20.24
2" Wide Brass Body	ML6831LTWO	1/4"	3"	25/32"	20.54

1 3/4" Wide Brass Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML6841WO	5/16"	1 3/16"	25/32"	20.52
2" Wide Brass Body	ML6841LJWO	5/16"	2 7/16"	25/32"	22.87

1 9/16" Wide Aluminum Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML6851WO	3/8"	1 1/2"	29/32"	24.28
	ML6851LJWO	3/8"	2 1/2"	29/32"	26.63

1 9/16" Wide Aluminum Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML6836WO	1/4"	1 1/16"	25/32"	12.72
	ML6836LFWO	1/4"	1 9/16"	25/32"	14.87
1 3/4" Wide Steel Body	ML6836LTWO	1/4"	3"	25/32"	15.17

1 9/16" Wide Steel Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML7036WO	1/4"	1 1/16"	25/32"	33.74

1 3/4" Wide Steel Body	P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
	ML7046WO	5/16"	1 3/16"	29/32"	35.79

**COMMERCIAL DOOR KEY CYLINDERS** Now you can integrate High Security and Weather Tough® Pro Series padlocks into existing door key security systems for maximum "same key" convenience. The 6600 & 6700 series High Security and Weather Tough® Pro Series locks now accept popular OEM and compatible door key cylinders. Padlocks are supplied without cylinders and require cylinder drivers (ordered separately) to install the following OEM cylinders: Schlage (Key-in-Knob Cylinders), Schlage Primus, Medeco #20W200, Lori #1539 Series (available to match 28 popular keyways).

**COMMERCIAL DOOR KEY SYSTEMS**

P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
ML6621WO	5/16"	1 1/8"	7/8"	22.56
ML6621LJWO	5/16"	2 3/8"	7/8"	24.91
ML6627WO	7/16"	1 3/8"	7/8"	32.57
ML6627LHWO	7/16"	1 7/8"	7/8"	34.82

P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
ML6721WO	5/16"	3/4"	7/8"	33.27
ML6727WO	7/16"	3/4"	7/8"	47.45

P/N	Shackle Diam	Vert. Shackle Clearance	Horiz. Shackle Clearance	Retail
-----	--------------	-------------------------	--------------------------	--------

1 3/4" Wide Steel Body	ML7042WO	5/16"	1 3/16"	29/32"	16.40
------------------------	----------	-------	---------	--------	-------

2" Wide Steel Body	ML7052WO	3/8"	1 1/2"	29/32"	19.21
--------------------	----------	------	--------	--------	-------

1 3/4" Wide Brass Body	ML6842WO	5/16"	1 3/16"	25/32"	16.27
------------------------	----------	-------	---------	--------	-------

2" Wide Brass Body	ML6852WO	3/8"	1 1/2"	29/32"	19.43
--------------------	----------	------	--------	--------	-------

ML298-0626	Cylinder Driver for Lori 1539	10.26
ML298-0627	Cylinder Driver for Medeco 20W200	10.26
ML298-0628	Cylinder Driver for Schlage "A" Series	10.26

1 3/4" Wide Steel Body	ML7047WO	5/16"	1 3/16"	29/32"	30.22
------------------------	----------	-------	---------	--------	-------

## ORDERING INFORMATION FOR INTERCHANGEABLE CORE SYSTEMS

Description	Keyway
Master Lock Y	CY
Best Lock A	CA
Best Lock B	CB
Best Lock C	CC
Best Lock D	CD
Best Lock E	CE
Best Lock F	CF
Best Lock G	CG
Best Lock H	CH
Best Lock J	CJ
Best Lock K	CK
Best Lock L	CL
Best Lock M	CM
Best Lock Q	CQ
Arrow 1C	CW
Arrow 1D	CX

Price if ordered w/lock **18.05**

## ORDERING INFORMATION FOR DOOR KEY COMPATIBLE SYSTEMS

Description	Keyway	Price if ordered w/lock
Arrow K5, K6, L6A	D10	12.15
Corbin 59A1-A2	D01	15.00
Corbin 60	D29	15.00
Corbin Russwin L4	D07	15.00
Dexter Master 67 (composite)	D32	12.15
Falcon 1573, 1577 (comp. E-R)	D14	15.00
Harloc SE-1 (composite)	D02	15.00
Kwikset (composite)	D12	12.15
Lockwood	D08	15.00
Lori L200	D02	15.00
Lori Locksmith 80	D80	15.00
Lorlcentric 90	D90	15.00
Russwin 981/852	D11	15.00
Russwin D1	D30	15.00
Sargent LA-LC (composite)	D36	15.00
Sargent RA-RC (composite)	D70	15.00
Sargent S	D02	15.00
Sargent U	D02	15.00
Sargent C	D04	12.15
Sargent E	D34	12.15
Schlage P (accepts C-L)	D28	12.15
Segal 9.265	D27	15.00
Weiser (composite)	D13	15.00
Westlock	D33	15.00
Yale 8	D03	12.15
Yale GA	D15	15.00


## COVERED BRASS PADLOCKS

### 3/4" (20mm) Covered Brass Padlock

3/4" wide corrosion resistant solid brass body padlock encased in a colorful vinyl cover. 3-pin tumbler cylinder and rugged locking lever. Steel shackle measures 5/32" in diameter. Clearances: vertical 13/32"; horizontal 11/32". Keys are nickel plated brass and also feature keyhead covers.

**One key provided per lock.**

ML121Q	Four Pack, black, carded	10.67
ML121T	Twin Pack, black, carded	6.40



### 1 9/16" (40mm) Covered Brass Padlock

1 9/16" wide corrosion resistant solid brass body padlock encased in a colorful vinyl cover. 4-pin tumbler cylinder and rugged locking lever. Case hardened steel shackle measures 1/4" in diameter. Clearances: vertical 13/16"; horizontal 13/16". Keys are nickel plated brass and also feature matching color keyhead covers.

**Two keys provided per lock, except on multipacks which have one.**

ML141D	Single Pack, black, carded	6.84
ML141DLF	Single Pack, black, carded, 1 1/2" Shackle	8.43
ML142DCM	Single Pack, blue, carded	6.84
ML143DCM	Single Pack, green, carded	6.42
ML144DCM	Single Pack, red, carded	6.42

### 1 3/16" (30mm) Covered Brass Padlock

1 3/16" wide corrosion resistant solid brass body padlock encased in a colorful vinyl cover. 4-pin tumbler cylinder and rugged locking lever. Case hardened steel shackle measures 3/16" in diameter. Clearances: vertical 5/8"; horizontal 9/16". Keys are nickel plated brass and also feature matching color keyhead covers.

**Two keys provided per lock, except on multipacks which have one.**

ML131D	Single Pack, black, carded	5.22
ML132DCM	Single Pack, blue, carded	4.90
ML133DCM	Single Pack, green, carded	4.90
ML134DCM	Single Pack, red, carded	4.90

### 1 3/8" (35mm) Covered Brass Padlock

1 3/8" wide corrosion resistant solid brass body padlock encased in a colorful vinyl cover. 4-pin tumbler cylinder and rugged locking lever. **Brass shackle measures 3/16" in diameter.** Clearances: vertical 13/16"; horizontal 13/16". Keys are nickel plated brass and also feature matching color keyhead covers.

**Two keys provided per lock, except on multipacks which have one.**

ML631DSPT	Single Pack, black, carded	7.12
ML631TRISPT	Tri-Pack, KA, black, carded	14.26

### 2" (50mm) Covered Brass Padlock

2" wide corrosion resistant solid brass body padlock encased in a colorful vinyl cover. 5-pin tumbler cylinder and rugged locking lever. Case hardened steel shackle measures 9/32" in diameter. Clearances: vertical 1"; horizontal 1". Keys are nickel plated brass and also feature keyhead covers.

**Two keys provided per lock.**

ML151D	Single Pack, black, carded	10.39
--------	----------------------------	-------



- KEYBLANKS
- LAMINATED PIN TUMBLER PADLOCKS
- ENVIRONMENTAL PADLOCKS

### LAMINATED 4-PIN TUMBLER PADLOCKS

Highly popular 4-pin tumbler series. Precision cylinder protection. Cadmium rustproofed steel case. Removable key-change number for added security.

Exclusive dual steel locking levers independently lock each shackle leg for increased protection. Patented taper assures smooth vertical shackle movement and precise engagement of locking levers.

No. 7 has patented guard plates to resist attempts at rapping and picking to open the locking lever. Packed 6 per box.



1 3/4" wide laminated case. Pin Tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 5/16" diameter steel shackle. Clearances: vertical 7/8", horizontal 3/4". 2 brass keys, thousands of changes.

<b>ML1KA</b>	<b>11.77</b>	Keyed Alike
<b>ML1-D</b>	<b>10.70</b>	Keyed Different Carded
<b>ML1MK</b>	<b>15.52</b>	Master Keyed
<b>ML1LF</b>	<b>12.42</b>	1 1/2" Steel Shackle
<b>ML1LJ</b>	<b>12.82</b>	2 1/2" Steel Shackle
<b>ML1LN</b>	<b>16.67</b>	5 3/4" Steel Shackle
<b>ML1DCOM</b>	<b>10.82</b>	Commercial Carded



2" wide laminated case. Pin tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 3/8" diameter steel shackle. Clearances: vertical 1", horizontal 15/16". 2 brass keys, thousands of changes.

<b>ML5KA</b>	<b>14.69</b>	Keyed Alike
<b>ML5-D</b>	<b>13.62</b>	Keyed Different Carded
<b>ML5MK</b>	<b>18.44</b>	Master Keyed
<b>ML5LF</b>	<b>15.34</b>	1 1/2" Steel Shackle
<b>ML5LJ</b>	<b>15.74</b>	2 1/2" Steel Shackle
<b>ML5DCOM</b>	<b>13.73</b>	Commercial Carded



1 1/2" wide laminated case. Pin tumbler security. Exclusive dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle. Clearance: vertical 3/4", horizontal 5/8". 2 brass keys, thousands of changes.

<b>ML3KA</b>	<b>10.36</b>	Keyed Alike
<b>ML3-D</b>	<b>9.30</b>	Keyed Different Carded
<b>ML3MK</b>	<b>14.11</b>	Master Keyed
<b>ML3LF</b>	<b>11.01</b>	1 1/2" Steel Shackle
<b>ML3LH</b>	<b>12.16</b>	2" Steel Shackle
<b>ML3DCOM</b>	<b>9.41</b>	Commercial Carded



1 1/8" wide laminated case. Pin tumbler security. Nickel-plated locking lever. Steel shackle, diameter 3/16". Clearances: vertical 9/16" horizontal 1/2". 2 brass keys, wide range of changes.

<b>ML7KA</b>	<b>8.44</b>	Keyed Alike
<b>ML7-D</b>	<b>7.49</b>	Keyed Different Carded
<b>ML7MK</b>	<b>12.19</b>	Master Keyed
<b>ML7LF</b>	<b>9.09</b>	1 1/2" Steel Shackle
<b>ML7LJ</b>	<b>9.49</b>	Steel Shackle

### NO. 101 Wide Body Padlock-Rekeyable FITS DOOR LATCHES OF ALL MAJOR FREEZERS/COOLERS

- HIGH SECURITY-Precision pin-tumbler locking mechanism.
- CASE HARDENED HIGH-TECH-STEEL-More than doubles resistance to cutting compared to conventional steel shackles.
- DOUBLE LOCKED RESISTANCE AGAINST PRYING AND PULLING-dual levers indecently anchor both shackle legs.
- REKEYABLE CYLINDER for commercial installations-allows easy cylinder changing-keyed-alike and master-keyed systems.

**DIMENSIONS:**


Shackle: 5/16" diameter  
2 1/4" horizontal clearance  
3 1/8" vertical clearance  
Body: 3 1/4" wide; laminated steel

**29<sup>29</sup>**

**ML101**  
Keyed Different  
Boxed

**30<sup>24</sup>**

**ML101KA**  
Keyed Alike  
Boxed



### No. 31 PADLOCK



Great for industrial settings. Higher security padlock equipped with a 5-pin tumbler cylinder that is capable of 10,000 unique key codes. Provides added pick resistance and prevents key interchange where numerous padlocks are used. 1.5" wide laminated steel case construction. Features extra length shackles, color-coded bumpers and full keying availability.

<b>ML31</b>	Std. Blue Bumper Boxed	<b>11.90</b>
<b>ML31KA</b>	Keyed Alike	<b>12.85</b>
<b>ML31LF</b>	1.5" long shackle Boxed	<b>13.50</b>
<b>ML31MK</b>	Master Keyed Boxed	<b>16.60</b>

### UTILITY LOCKS

Guards Against Saws and Bolt Cutters

Features locking eyes that do away with the exposed loop of the shackle. Ideal for a wide variety of commercial applications, such as truck doors, shutoff valves, self-storage units and vending machines.

Case hardened steel shackle, 3/8" diameter, rotates to deter sawblades. Precision 4-pin tumbler keyway, high security locking mechanism enable thousands of key changes. Packed 6 in a box.



Code	Shackle	Body	Price
<b>ML443</b>	5/8"	Steel	<b>12.30</b>
<b>ML443LE</b>	7/8"	Steel	<b>12.50</b>
<b>ML443LK</b>	3 1/2"	Steel	<b>15.20</b>
<b>ML444</b>	7/8"	Brass	<b>11.24</b>

• TRAILER LOCKS

**ARMORLOCK**



**ML37-D** Keyed Different **14.45**  
**ML37KA** Keyed Alike **15.40**  
6/box

For guarding trailers on or off vehicles...and for use with security cables, chains and clasps. Exclusive shackle guard, extra resistant to bolt cutters and hacksaws. Precision 4 pin tumbler mechanism. Fits openings 1/2" or larger in diameter. Shackle sleeve removable to accommodate openings 9/32" in diameter. 1 1/2" wide laminated steel case: shackle clearance: vert. 15/16". hor. 7/16".

**UNIVERSAL COUPLER LOCK**

Master Lock's universal coupler lock guards against trailer tow-away theft. It fits the following coupler brands: Reese, Fulton, UFP, Valley, Attwood, Putnam, Marvel, Ideal, Acme, Dutton-Lainson. Nickel plated to resist rust and corrosion.



P/N	Coupler Diameter	Price
<b>ML378DAT</b>	2 5/16"	<b>44.52</b>
<b>ML378KA</b>	2 5/16"	<b>46.30</b>

**TRAILER LOCKS**

1/box; 6 per shelf pack.



Guards against towaway theft of unattended travel, boat, camping, snowmobile, horse, mobile home, and utility trailers.

Exclusive locking device. Easy to use. Installs in less than a minute. Powerful protective housing covers trailer coupler, guards against towaway theft. Famous MASTER pin tumbler locking security. Rust resistant, baked epoxy acrylic finish. Complete with locking wrench and 2 keys. Available keyed-alike (KA).

*All Locks Now Rekeyable*

**ML34 Fits 2" standard metal couplers**  
**ML34AT** Keyed Different **48.55**  
**ML34KA** Keyed Alike **49.45**

**ML35 Fits rolled lip 2" and 2 5/16" couplers**  
**ML35AT** Keyed Different **48.55**  
**ML35KA** Keyed Alike **49.45**

**ML36 Fits 2 5/16" standard couplers (10,000 lbs) and othr couplers of similar design**  
**ML36AT** Keyed Different **48.55**  
**ML36KA** Keyed Alike **49.45**

**No. 39 For 1 7/8" and 2" Hammer-blow (Bull Dog) and Morris Midwest couplers.**  
**ML39AT** Keyed Different **48.55**  
**ML39KA** Keyed Alike **49.45**

**HIGH SECURITY KING PIN LOCK**

- Secures the king pin of semi-tractor trailers
- Renders bolt cutter useless
- High grade aluminum is lightweight while providing high security
- Includes an integrated No. 5 padlock with all of its security and keying flexibility



<b>ML387</b>	King Pin Lock	<b>120.66</b>
<b>ML387KA</b>	Keyed Alike	<b>121.61</b>
<b>ML3871WO</b>	IC (core not included)	<b>128.77</b>




**CLASS II RECEIVER HITCH LOCK**

1/2" pin fits std. 1 1/4" receiver tube. Nickel plated, hardened steel pin resists corrosion & provides strong cut and shear resistance. Lock features dual locking levers and pin tumbler mechanism for pry and pick resistance. Solid brass case features protective vinyl cover. Case hardened 1/4" steel shackle resists cutting. **ML372DAT** 1/2" pin, 1 1/2" Covered Brass Lock **8.44**

**TRAILER HITCH COUPLER LOCK**

- Case hardened steel shackle
- Lock design protects shackle from cutting & sawing
- Precision pin tumbler mechanism
- Solid brass

**ML605DAT**  
**9.90**



**STANDARD RECEIVER PINS & CLIPS**



The Class II and Class III/IV receiver pin and clip combinations are made of hardened steel for strong cut and shear resistance. The pins are tapered for easy installation.

**ML1376DAT** 5/8" & 1/2" bent pin with stainless steel sleeve **4.70**

**UNIVERSAL COUPLER LOCK**




**(NEW!)**

Universal coupler lock, fits 1 7/8", 2" and 2 5/16". Laminated steel frame construction. Removable Python™ cylinder. Keyway cover protects lock from moisture and dirt. *May come in chrome finish.*

Fits the following coupler styles:  
Straight lip; Rolled lip; UFP; Hammer blow; Surge break.

P/N	Description	Price
<b>ML379DAT</b>	Retail Package	<b>27.78</b>
<b>ML379ATPY</b>	Commercial Pckge	<b>33.07</b>
<b>ML379KAATPY</b>	KA Comm. Pckge	<b>36.37</b>

**SNAP-ON RECEIVER HITCH LOCKS**




**1377DAT**

Class II and Class III/IV snap-on receiver hitch locks with hardened steel pins for increased sheer strength. The lock body snaps onto the receiver pin for quick and convenient application. Precision pin tumbler mechanism resists picking. A solid brass keyway is protected with a plastic cover to resist corrosion.

**ML1377DAT** Class II, III/IV Snap-on Receiver Hitch Lock; 1/2" & 5/8" Pin **14.88**

## BARBELL™ RECEIVER & COUPLER LATCH LOCKS


### Coupler Latch Lock



9/32" x 3 1/2" shackle fits surge brake and UFP brand coupler latches.

**ML1471DAT** Coupler Latch Lock **15.54**


### Receiver Lock



Fits 1/2" diameter receiver holes for customers who have one size receiver (1 1/4" square tube, Class II).

**ML1472DAT** Receiver Lock **15.13**

### Receiver Lock



With its rotating, removable stainless steel shackle sleeve, it fits both 5/8" and 1/2" diameter receiver holes.

**ML1473DAT** Receiver Lock **17.63**  
**ML1473KA** Keyed Alike **18.60**


### SPARE TIRE LOCK

Security for locking non-operating spare tires on vehicles, RV's, boats and other trailers. The chrome plated zinc die cast body protects against the elements.



**ML262DAT** Spare Tire Lock **7.60**


### Receiver and Coupler Latch Lock



Keyed alike set of the 1473 receiver lock that fits both 5/8" and 1/2" diameter holes and the 1475 coupler latch lock.

**ML1474DAT** Coupler/Receiver Latch Lock **32.89**


### Coupler Latch Lock



9/32" x 7/8" shackle fits most standard coupler latches.

**ML1475DAT** Coupler Latch Lock **15.54**


### Receiver Lock



Fits 5/8" diameter receiver holes for customers who have one size receiver (2" square tube, Class III/IV).

**ML1479DAT** Receiver Lock **16.34**



### Receiver Lock



300 series stainless steel shackle and barbell ends offer the ultimate in corrosion resistance. With its rotating, removable stainless steel shackle sleeve, it fits both 5/8" and 1/2" diameter receiver holes.

**ML1480DAT** Receiver Lock **21.49**  
**ML1480KA** Keyed Alike **22.46**


## GUN LOCK



Fits practically all firearms

Every gun owner will be interested in this exclusive, patented locking device which guards against accidental firing of handguns, rifles and shotguns. Terrific sales potential. Ideal gift item. Positive locking with adjustable ratchet mechanism-trigger cannot be pulled until lock is removed. Easy to attach and lock. Incorporates famous MASTER pin tumbler locking cylinder, with brass keys. Special cushioned pads block trigger action and protect gun's finish from being scratched or marred. Permanent finish-will not chip, flake or peel. Available keyed-alike without extra cost. Colorful self-service package can be displayed on counter or hung on pegboard.

**ML-90DSPT** Keyed Different **11.74**  
**ML-90DSPTKA** Keyed Alike **12.69**  
 One on a card, six in a shelf pack.



### KEYLESS RESETTABLE COMBINATION


Offers the convenience of setting your own combination. Special cushion pads protect the gun's finish. Adjustable ratchet mechanism. Fits many handguns, rifles, shotguns. 6/shelf pack

**ML94DSPT** **13.63**

### ARMORED CABLE LOCK

- Meets stringent California AB106 spec
- Deadbolt locking mechanism can only be opened and closed with key inserted and turned
- 4 pin tumbler cylinder
- 14" armored cable with brass ends

**ML107DSPT** **9.36**  
**ML107KADSPT** **10.32**



### DEAD-LOCKING CABLE GUN LOCK

- Dead-locking, anti-rap mechanism
- 4-pin tumbler security
- 14" vinyl covered cable
- Brass cable ends prevent scratching

**ML99DSPT** **6.86**  
**ML99DSPTKA** **7.82**



## KEYBLANKS


Packed 50 in a box



**21<sup>68</sup>**  
box of 50



Pin  
Tumbler



Warded Corrugation

Left-Hand


Right-Hand

(as viewed on locks)

## PIN TUMBLER

Number	Fits Master Padlocks	
MLK1	1, 2, 3, 4, 5, 6, 11, 33, 34, 35, 36, 37, 39, 40, 300 series, 430,443,475,1317,1803,1805	
MLK2	Special 1MK2K, 2MK2K, 3MK2K, 4MK2K, 5MK2K, 6MK2K, 11MK2K	
MLK7	7, 8, 90,97, 716, 719, 1807	
MLK15	15	
MLK17	17	
MLK19	19	27.00/box
MLK27	21, 24, 25, 27, 31, 101, 220, 230	
MLK81KR	81, 82, 530, 532, 533, 570, 575, 576, 751, 991, 992, 996, 1710, 1714	
MLK81KM	Special for 81MK, 82MK, 1710MK, 1714MK (master key systems only)	
MLK101	<b>K1 key blank with black covered key head</b>	33.00/box
MLK120	120, 121, 1820, 1825	
MLK121	<b>K120 key blank with black covered key head</b>	18.25/box of 25
MLK130	130, 131,132,133,134,135,136,140,141,142,143,144,145,146,631,635,645,1830,1840	
MLK150	150, 151,160,640	
MLK185	185	34.24/box
MLK257L	259, 262 with left-hand corrugation (see above illustration)	
MLK257R	259, 262 with right-hand corrugation (see above illustration)	
MLK600	220, 230 and all Pro Series® with AM 600A, 1000 or 5000 cyl	
MLK700	97 and Pro Series® with No. 700A cylinders	28.53/box
MLK701	<b>K7 key blank with black covered key head</b>	33.00/box
MLK900	911, 930, 931, 937	
MLK8103	8103, 8104, 8106	13.00/box of 25
MLK8105	8105, 8125	
MLK8107	8107, 8183	25.25/box of 25
MLK8109	8109	26.25/box of 25
MLK8121	8118	26.25/box of 25
MLK8154	8154	26.25/box of 25
MLK8181	8181, 8182	25.25/box of 25
MLK8185	8108, 8184, 8185, 8189	25.25/box of 25
MLK8186	8155, 8174, 8186	38.81/box of 25
MLK8187	8187	48.25/box of 25
MLK8188	8188	25.25/box of 25

## OUTBOARD MOTOR LOCK



Outboard motor lock: fits the majority of motors secured to transom by means of clamp screws (except certain Chrysler outboards). Exclusive case-hardened steel tube vinyl-clad against weather and water. Dependable marine brass pin-tumbler mechanism. Laminated steel lock with cadmium rustproofing; recessed in tube to shield against cutting and prying. Available keyed alike for multiple boat owners. Pair of brass keys.

One on a card, six in a shelf pack.

With brass padlock

ML430DPST	27.86
ML430KA	29.00

## PRO SERIES KEYBLANKS

Packed 50 in a box

Number	Fits Master Padlocks	
MLK6000	For W6000 cylinders	28.53
MLK7000	For W7000 cylinders	28.53

Cut	Root Depth
0	.2845"
1	.369"
2	.2535"
3	.338"
4	.2225"
5	.207"
6	.1915"
7	.176"



Cut	Root Depth
0	.271"
1	.256"
2	.240"
3	.224"
4	.209"
5	.194"
6	.178"
7	.162"

## 1118

box of 50


## WARDER TYPE

Number	Fits Master Padlocks:
MLK9	9
MLK10	10,12
MLK22L	22 (left-hand corrugation)
MLK22R	22 (right-hand corrugation)
MLK105	105, 116, 119
MLK500L	450, 500 (left-hand)
MLK500R	450, 500 (right-hand)
MLK510	510, 517, 518



## Improved Pro Series® Cylinders

### New Keys w/Notch



Never duplicate a new key onto an old blank.

### Old Keys w/o Notch



Never duplicate an old key onto a new blank.



• LAMINATED REKEYABLE PADLOCKS  
• Steel

**REKEYABLE PADLOCKS - LAMINATED STEEL**

High security padlocks offering special provision for removable cylinder, making it easy for authorized persons to quickly match up to existing keyed-alike or master keyed systems, or to change the lock cylinder whenever the security of an existing key becomes doubtful due to key loss, personnel turnover and other eventualities. No. 21 and 27 are also available with separate shackles, allowing users the ability to install a variety of shackle lengths in lock bodies. Removing the need to stock extensive inventories (lock bodies come with shackle retainer plate unclenched. Simply add desired shackle and clench the plate to permanently anchor the shackle in the lock body.) No. 21 and 27 rekeyables; supplied without cylinder.



**NO. 21 PADLOCK**

MASTER high security rekeyable padlock with 1 3/4" wide case, 5 pin tumbler cylinder, and special keyway. Case-hardened steel shackle 5/16" dia. Shackle clearance: 15/16" vert., 3/4" horizontal. Dual hardened-steel levers lock each shackle leg independently. (Bodies also available without shackles installed to accept a range of optional long shackles.

ML21	Keyed Different	15.82
ML21KA	Keyed Alike	16.77
ML21WO	Lock w/o Cylinder	11.82
ML21LF	Extra Long 1 1/2" Shackle	17.42
ML21LJ	Extra Long 2 1/2" Shackle	17.82
ML21LN	Extra Long 5 3/4" Shackle	21.67

5/box

**NO.21 PADLOCKS WITH DIFFERENT CYLINDERS**

Same 4-Pin Cylinder as Padlocks No. 1,2,3,4,5,6

ML21W1	Keyed Different	15.82
--------	-----------------	-------

CALL US FOR YOUR KEYED-ALIKE MASTER LOCK REQUIREMENTS

**REKEYABLE PADLOCKS - LAMINATED BRASS**

High security brass rekeyables with an exclusive Master laminated design that is engineered to shrug off severe weather, salt air, and corrosive conditions. Rekeying feature allows updating protection easily and economically anytime security becomes doubtful due to lost keys, employee turnover and other such occurrences. Cylinders can be changed in just seconds; fully restoring protection on the spot. In addition, compatible cylinders with existing Master Lock pin tumbler systems and American 600 and 700 series pin tumbler padlocks are offered.

**NO. 24 PADLOCKS**

High security padlock with 1 3/4" wide brass case, removable 5 pin W27 cylinder and special keyway. Case hardened double-locking shackle (5/16" dia.)

ML24	Keyed Different	20.76
ML24KA	Keyed Alike	21.71
ML24WO	Lock w/o Cylinder	16.76
ML24LJ	Extra Long 2 1/2" Shackle	22.76



**NO.27 PADLOCKS**

ML27	Keyed Different	21.67
ML27KA	Keyed Alike	22.62
ML27WO	Lock w/o Cylinder	17.67
ML27LH	Extra Length 2" Shackle	24.42

**NO.27 PADLOCKS WITH DIFFERENT CYLINDERS**

Same 4-Pin Cylinder as Padlocks No. 1,2,3,4,5,6

ML27W1	Keyed Different	21.67
--------	-----------------	-------



**No. 25 PADLOCKS**

2" wide body; 3/8" case hardened steel shackle. Locks can be rekeyed if key is lost or stolen. Save money by replacing the cylinders instead of the entire lock.


ML25	Keyed Different	18.98
ML25KA	Keyed Alike	19.93
ML25WO	Lock w/o Cylinder	14.98
ML25LJ	Extra Length 2 1/2" Shackle	20.98

5/box

**NO. 25 PADLOCKS WITH DIFFERENT CYLINDERS**

Same 4-pin Cylinder as Padlocks No. 1,2,3,4,5,6

ML25W1	Keyed Different	18.98
--------	-----------------	-------



No. 24

Same 4-Pin Cylinder as Padlocks No. 1,2,3,4,5,6

ML24K2W1	zero-bitted cylinder	20.76
----------	----------------------	-------



## MEDIUM SECURITY BRASS PADLOCKS



3/4" (20mm) wide corrosion-resistant solid brass case. Brass 3 pin tumbler locking mechanism. Rugged locking lever. Case-hardened steel shackle, diameter 5/32". Clearances: vertical 7/16", horizontal 3/8". Two nickel-plated brass keys.

<b>ML120-D</b>	Keyed Different	<b>3.20</b>
<b>ML120KA</b>	Keyed Alike	<b>4.15</b>

One on a card, twelve in a shelf pack.



2" (50mm) wide corrosion-resistant solid brass case. Brass 5 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 9/32". Clearance: vertical 1", horizontal 1". Two nickel-plated brass keys.

<b>ML150-D</b>	Keyed Different	<b>10.06</b>
<b>ML150KA</b>	Keyed Alike	<b>11.02</b>

One on a card, six in a shelf pack.



2 3/8" (60 mm) wide corrosion-resistant solid brass case. Brass 5 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 11/32". Clearance: vertical 1 1/8", horizontal 1 1/4". Two nickel-plated brass keys.

<b>ML160-D</b>	Keyed Different	<b>12.69</b>
<b>ML160KA</b>	Keyed Alike	<b>13.65</b>

One on a card, six in a shelf pack.



1 3/16" (30mm) wide corrosion-resistant solid brass case. Brass 4-pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 3/16". Clearance: vertical 5/8", horizontal 9/16". Two nickel-plated brass keys.

<b>ML130-D</b>	Keyed Different	<b>4.76</b>
<b>ML130KA</b>	Keyed Alike	<b>5.72</b>

One on a card, six in a shelf pack.



1 9/16" (40mm) wide corrosion-resistant solid brass case. Brass 4 pin tumbler locking mechanism. Rugged locking lever. Special limited-use keyway design for added security. Case-hardened steel shackle, diameter 1/4". Clearance: vertical 7/8", horizontal 13/16". Two nickel-plated brass keys.

<b>ML140-D</b>	Keyed Different	<b>6.21</b>
<b>ML140KA</b>	Keyed Alike	<b>7.17</b>

One on a card, six in a shelf pack.

## CORROZEX™ FINISH LAMINATED STEEL PADLOCKS

1 1/2" wide laminated steel case with bumper. Pin tumbler security. Chrome plated shackle. Lock body and shackle guaranteed not to rust. Silver Master Lock Corrozex finish. Dual steel levers lock both sides of case-hardened, 9/32" diameter steel shackle. Clearances: vertical 1 1/8", horizontal 3/5". Two nickel plated steel keys with covered key heads, thousands of changes.



<b>ML380D</b>	Keyed Different, Carded	<b>9.93</b>
<b>ML380T</b>	Twin Pack KA	<b>17.87</b>

## TITANIUM SERIES™ PADLOCKS

1 15/16" wide no-rust stainless steel body with integrated high impact ABS bumper. Pin tumbler, front access keyway with cover. Bolt cutter tough, shrouded, rotary, gear driven hardened steel shackle, 9/32" diameter. Shackle clearances: vertical 5/8", horizontal 5/8". Includes two keys with matching color keyheads.



<b>ML185XD</b>	<b>13.79</b>
<b>ML185KA</b>	<b>14.75</b>

2 5/16" wide no-rust stainless steel body with integrated high impact ABS bumper. Pin tumbler, front access keyway with cover. Shrouded, rotary, gear driven hardened steel shackle, 5/16" diameter. Shackle clearances: vertical 15/16", horizontal 3/4". Includes two keys with matching color keyheads.



<b>ML187XD</b>	<b>16.56</b>
<b>ML187KA</b>	<b>17.52</b>

• TUMBLER LOCKS • PADLOCKS  
 • Laminated • Marine • High Security

**WEATHER TOUGH LAMINATED BRASS PADLOCKS**

Commercial quality weather-tough laminated brass padlocks showcased in self-selling blister cards.

Laminated for strength; stronger than solid body locks. The brass body provides extreme resistance to salt, air, sleet, snow and corrosive conditions.

No. 8-D features a rugged nickel-plated locking lever and patented guard plate to resist picking and rapping. Two brass keys. Full 15 year padlock warranty. Display Carded 6/box.



<b>ML2KA</b>	Keyed Alike	<b>15.76</b>
<b>ML2-D</b>	Keyed Different Carded	<b>14.81</b>
<b>ML2LF</b>	1 1/2"	<b>16.41</b>
<b>ML2LJ</b>	2 1/2" Steel Shackle	<b>16.81</b>
<b>ML2LN</b>	5 3/4" Steel Shackle	<b>20.66</b>
<b>ML4KA</b>	Keyed Alike	<b>13.61</b>
<b>ML4-D</b>	3/4" Shackie	<b>12.66</b>
<b>ML4LF</b>	1 1/2" Steel Shackle	<b>14.06</b>
<b>ML4LFKA</b>	Keyed Alike	<b>15.01</b>
<b>ML4LH</b>	2 1/2" Steel Shackle	<b>15.41</b>
<b>ML4LHKA</b>	Keyed Alike	<b>15.36</b>

<b>ML6KA</b>	Keyed Alike	<b>19.35</b>
<b>ML6-D</b>	Keyed Different Carded	<b>18.40</b>
<b>ML6LF</b>	1 1/2" Steel Shackle	<b>20.00</b>
<b>ML6LJ</b>	2 1/2" Steel Shackle	<b>20.40</b>
<b>ML8KA</b>	Keyed Alike	<b>11.18</b>
<b>ML8-D</b>	Keyed Different Carded	<b>10.23</b>
<b>ML8LF</b>	1 1/2" Steel Shackle	<b>11.83</b>
<b>ML8LJ</b>	2 1/2" Steel Shackle	<b>12.23</b>

**TITANIUM SERIES Ti<sup>3</sup>™  
1 7/8" COMBINATION LOCK**



Three times stronger than other combination locks. Keyless convenience. High-precision three-number dialing. ABS plastic cover over rugged die-cast body. Hardened steel shackie. Double ball-bearing locking mechanism with push-button operation. Horizontally-oriented soft rubber dial. Dial automatically scrambles when locked to safeguard combination. Body width 1 7/8". Shackie diameter 1/4". Clearances: vertical 15/16"; horizontal 15/16".

<b>ML2050XD</b>	Silver Grid Pattern	<b>10.62</b>
<b>ML2051XD</b>	Assort. of 4 Patterns	<b>10.62 ea.</b>

**HIGH SECURITY STEEL PADLOCKS**

The Choice for Top Protection.



Premium protection at a popular price. Rugged 2" wide laminated steel case. Precision 5 pin tumbler mechanism. Superior double-locking system-exclusive dual steel levers independently lock each shackie leg, adding strength and guarding against shimmying or rapping. Exclusive resilient bumper keeps padlock from marring or scratching. Erasable key change numbers can be removed for added security. Case-hardened alloy steel shackie, chrome plated, diameter 7/16". Clearance: vertical 1 1/8", horizontal 3/4". Cadmium rustproofing 2 brass keys, changes practically unlimited.

<b>ML17KA</b>	Keyed Alike	<b>19.09</b>
<b>ML17-DPF</b>	Keyed Different Carded	<b>18.00</b>
<b>ML17LH</b>	2" Shackie Clearance	<b>21.84</b>
<b>ML17DCOM</b>	Keyed Different	<b>18.14</b>



Big and tough...recommended for high security uses. Powerful 2 1/2" laminated steel case, highly resistant to physical abuse. Precision 5 pin tumbler mechanism. Superior double-locking system - exclusive dual steel levers independently lock each shackie leg, adding strength and guarding against shimmying or rapping. Exclusive resilient bumper keeps padlock from marring or scratching. Erasable key change numbers can be removed for added security. Case-hardened alloy steel shackie, chrome plated, diameter 7/16". Clearances: vertical 1", horizontal 1 3/16". Paracentric keyway, exclusive to no. 15 padlock only. Changes practically unlimited. Cadmium rustproofing. 2 new-style brass keys.

<b>ML15KA</b>	Keyed Alike	<b>25.47</b>
<b>ML15-DPF</b>	Keyed Different Carded	<b>24.52</b>
<b>ML15LH</b>	2" Shackie Clearance	<b>27.27</b>
<b>ML15-DCOM</b>	Keyed Different	<b>24.52</b>

**SPHERO™ COMBINATION PADLOCKS**

- 2 1/8" wide metal body
- Dome dial shape with a metallic finish in teen's favorite colors
- Easy to grip, fun to turn smooth spinning dial with 3 digit dialing
- Hardened steel shackie



**Shackie:**  
 9/32" thick  
 11/16" vertical clearance  
 13/16" horizontal clearance  
**ML2075DAST** 1 ea: Red, Blue, Purple, Black  
**8.25 each lock**

**Key Control Sphero™**

Lock opens with combination or convenient back-up key.

<b>ML2076DAST</b>	1 ea: Red, Blue, Purple, Light Blue	<b>9.96 each lock</b>
-------------------	-------------------------------------	-----------------------

**G.I.o.™ COMBINATION PADLOCK**




- Light-up dial
- Bright LED colors in a sleek pearl chrome finish

**Shackie:**  
 1/4" thick, 1" vert. clearance, 13/16" horiz. clearance  
**ML2077D** 1 ea: Red, Blue, Purple, Green LED  
**12.34 each lock**



**4680-4687 COMBINATION LOCKS**



- 3 dial set-your-own combination convenience
- Durable metal construction withstands abuse
- Unique side window for easy combination viewing
- Available in sleek black or stylish nickel
- 4687 has indicator that TSA has opened the lock

Shackle Diameter: 1/8"  
 Shackle Vertical Clearance: 1/2"  
 Shackle Horizontal Clearance: 3/4"

P/N	Finish	Retail
ML4680DBLK	Black	12.01
ML4680DNKL	Nickel	12.01
ML4687DNKL	Satin Nickel	12.26

Travel Sentry™ certified luggage locks by Master Lock comply with airport security standards and are accepted by the Transportation Security Administration (TSA) screeners.

**4681 KEYED LOCKS**



- Solid brass body with durable plastic protective cover
- Handy twin pack is keyed alike
- Matching keyhead for added convenience
- Bright color provides easy luggage identification

Shackle Diameter: 3/32"  
 Shackle Vertical Clearance: 7/16"  
 Shackle Horizontal Clearance: 9/16"

P/N	Finish	Retail
ML4681TBLK	Black	12.01
ML4681TBRL	Blue or Red	12.01



**4682 LOCKING LUGGAGE STRAPS**




- 3 dial set-your-own combination
- Webbed strap is adjustable for added flexibility
- 78" strap accommodated most bags
- Bright color provides easy luggage identification

P/N	Finish	Retail
ML4682DBLK	Black	17.87
ML4682DBLR	Blue or Red	16.78

**SET-YOUR-OWN COMBINATION LOCK**


Ideal for various applications in the home or at school, this sturdy padlock combines a punch of color with a cool design. The matte silver finish delivers a high-tech, modern look while colorful, rubberized accents provide a no-slip grip, making it a snap to secure lockers, tool chests, sheds and recreational/sports gear.

- 2" durable metal body withstands abuse
- 4 chrome-plated dials with set-your-own combination convenience.
- Modern design features a high-tech silver finish with colorful, soft-touch bottom and side grips.
- "Quick Read Combo" side window for easy viewing.
- Hardened steel shackle for extra cut resistance.



**ML653D**  
 Assortment of 4 colors per shelf pack  
**12.18 ea lock**

**SOLID BODY LUGGAGE LOCKS**



- Solid body for style, strength & weatherability
- Chrome plated steel shackle for cut resistance
- Set-your-own combination convenience
- Resettable to allow for a personalized combination

643 has a 4-wheel combination

P/N	Shackle			Retail
	Horiz. Cl.	Vert. Cl.	Diam	
ML620D	3/8"	7/8"	1/8"	6.01
ML630D	9/16"	1"	3/16"	6.99
ML643D	1"	7/8"	1/4"	8.86

**KEYED MINI FUSION™ TSA PADLOCKS**



- Allows TSA screeners to inspect and relock baggage, without damaging the lock
- 1" wide polished chrome upper body, satin metallic lower body
- Keyed alike multi packs are ideal for family travel
- Matching Mini Fusion-style colored key head
- Bright colors simplify baggage identification

Shackle: 1/8" thick, 9/16" vert. clear., 7/16" horiz. clear.

ML4689T 2 pack of: blue, purple, pink, silver **9.48**  
 ML4689Q 4 pack of: blue, purple, pink, silver **17.72**

•PADLOCKS  
•Combination • Deadbolt • Long Shackle

**COMBINATION PADLOCK**



Keyless convenience. Smooth 3-number dialing. Strong double-wall construction-stainless steel outer case armors heavy wrought steel inner case. Permanently lubricated rust resistant inner working parts. Dial cannot be turned when shackle is under tension, safeguarding combination. Self-locking, automatically disarranging tumblers. Thousands of available combinations. Case width 1 7/8" in. Nickel-plated case-hardened steel swivel shackle; diameter 9/32" in. Clearance: vertical 3/4" in., horizontal 13/16" in. Black dial.

**ML1500-D** 6.60 Display Carded - 12/box  
**ML1500-T** 11.88 2/Card - 6 cards/box

**RESETTABLE COMBINATION PADLOCKS**



Instantly resettable to open at any personally programmed 4-digit combination. 10,000 possible settings! Exclusive positive action change key permits quick, easy resetting, whenever owner chooses. Once shackle is closed, automatic tamper guard of hardened steel blocks keyway - protects against tampering. Features corrosion-resistant solid brass case (except 178) and 5/16" thick plated case hardened steel shackle. Independent double locking shackle. Independent double locking shackle legs.

**ML175-D** 21.18 1" shackle clearance  
**ML175LH-D** 24.01 2 1/4" shackle clearance  
Display Carded-6/box

**Key Override**  
**ML176** 23.38 7/8" shackle clearance  
**ML176LH** 26.20 2 1/8" shackle clearance

**Shrouded Shackle**  
**ML177-D** 23.95 1" shackle clearance  
Display Carded-4/box

**Die-Cast**  
**ML178BLK** 13.64 1" Shackle clearance

**1500 SERIES WITH COLORED DIALS**

**ML1504D** Red dial 6.60 each padlock  
**ML1506D** Blue dial 6.60 each padlock  
**ML1511D** Magenta dial 6.20 each padlock

**ML1505D** 6.60 each padlock  
Assorted: 1 Black, 1 Red, 1 Blue, 1 Purple

**ML153DDCM** 6.60 each padlock  
Assortment of X-treme™ combination locks with anodized aluminum covers: 1 each Metallic Red, Blue, Green, Purple

**LUGGAGE LOCKS**

Set your own combination  
• Corrosion Resistant Brass Plated Shackle  
• Black Zinc Alloy



See #48

646D 3/4" Wide  
646T Pair of 646D  
647D 1 1/4" Wide

P/N	Shackle			Retail
	Horiz. Cl.	Vert. Cl.	Diam	
<b>ML646D</b>	3/8"	11/16"	1/8"	<b>4.47</b>
<b>ML646T</b>	3/8"	11/16"	1/8"	<b>8.05</b>
<b>ML647D</b>	9/16"	15/16"	3/16"	<b>5.80</b>

**PASSWORD PLUS™ SET-YOUR-OWN COMBINATION LOCK**

- 2 1/2" wide metal body for superior strength
- Modern, chrome body with bold, colored dials
- Special characters and extra wheels included
- Soft touch dials for no-slip grip
- Hardened steel shackle for extra cut resistance
- Two grip points for easier dialing



**ML1534-D**  
Set-Your-Own Combination  
One each of 4 dial colors per shelf pack: red, blue, black, white  
**11.40 ea lock**



**ML1544DCM** Red front, Blue Thumbpiece, Yellow Back  
**4.66**

**HIGH SECURITY DEADBOLT PADLOCK**



World's strongest combination padlock-based on pull, shear, twist and wedge comparison tests. No. 2001 more than doubles combination lock strength and security. Hardened boron-alloy shackle resists cutting and prying. Dual ball-bearing deadbolt locks both shackle legs. Reinforced stainless steel outer case surrounds massive die-cast zinc inner case. Fully recessed dial resists prying and knock-off. Smooth 3-number dialing. Self-locking, automatically disarranging tumblers, and dial spin-off. Combination can't be "felt out". Case width 2 3/16" in. Shackle diameter 5/16 in.; clearances: vertical 1 in., horizontal 15/16" in. Black dial. Lifetime warranty.

**ML2002** 18.38

**COMBINATION PADLOCK w/KEY BYPASS**



Keyless convenience - smooth 3-number dialing. Self-locking, automatically disarranging tumblers, and dial spin-off. Stainless-steel case with double-wall construction. Nickel-plated steel shackle. Patented dialing marker.

No. 1525 has control key mechanism-authorized person has access to all lockers. (Order Control Keys separately.) installation record maintained at factory, permitting extension of system under same key.

**ML1525** Combination Padlock 8.32  
**MLK1525-VXXX** Control Key (XXX=code) 3.99

**BACKPACK PADLOCKS**

- Cool and colorful backpack, luggage briefcase and computer case protection
- Rugged die-cast construction
- 3-wheel resettable combination locking mechanism
- Contemporary colors provide a unique & fun look



**ML1547DCM** Black case, chrome thumbpiece  
**6.36**



- SOLID STEEL BODY REKEYABLE PADLOCKS
- LAMINATED STEEL WARDED KEY PADLOCK

## HIGH SECURITY REKEYABLE PADLOCKS - DIE CAST BODY



Now-tougher round locks-from MASTER. Exclusive patented cylinder guard delivers maximum rap hammer resistance. For updating security instantly, rekeyable feature permits fast cylinder replacement whenever existing protection is compromised due to loss of keys, or turnover in personnel. Convenient replaceable shackle provision allows you to refit padlocks with extra length shackles providing 2" vertical clearance. Both cylinders and shackle can be replaced quickly, easily, by using only a simple hex wrench.

MASTER tough security rekeyable round padlock with 5 pin tumbler W27 cylinder. Replaceable case-hardened shackle 7/16" diameter. Shackle clearance 1" vertical, 3/4" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple plated copper-nickel-chrome finish.

MASTER tough security rekeyable round padlock with 2 1/2" wide case and 5 pin tumbler W27 cylinder. Replaceable case-hardened alloy-steel shackle 7/16" diameter. Shackle clearance 1" vertical, 15/16" horizontal. Dual hardened-steel balls lock each shackle leg independently. Rust resistant. Triple plated copper-nickel-chrome finish.

<b>2"</b>		
<b>ML220-DPF</b>	Keyed Different Carded	<b>22.84</b>
<b>ML220KA</b>	Keyed Alike	<b>23.79</b>
<b>ML220LH</b>	Extra Long 2" - Shackle	<b>25.59</b>

<b>2 1/2"</b>		
<b>ML230-DPF</b>	Keyed Different-Carded	<b>26.47</b>
<b>ML230KA</b>	Keyed Alike	<b>27.42</b>
<b>ML230LH</b>	Extra Long 2" Shackle	<b>29.22</b>
6/box		

## WARDER KEY PADLOCK - LAMINATED STEEL

One on a card; 12 per shelf pack.



MASTER's smallest laminated padlock. Warded locking mechanism 3/4" wide steel case. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 1/8". Clearances: vertical 5/16", horizontal 1/4". Two nickel-plated keys.

<b>ML9-D</b>	Keyed Different Carded	<b>2.73</b>
--------------	------------------------	-------------



1/8" wide laminated steel case. Warded locking mechanism. Patented crowned locking lever. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 3/16". Clearances: vertical 1/2", horizontal 1/2". Two nickel-plated steel keys, 105 changes.

<b>ML105KA</b>	Keyed Alike	<b>4.45</b>
<b>ML105-D</b>	Keyed Different Carded	<b>3.49</b>



1 3/4" wide laminated steel case. Multi-spring warded locking mechanism. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 9/32". Clearances: vertical 13/16", horizontal 13/16". Two nickel-plated steel keys, 60 changes.

<b>ML500KA</b>	Keyed Alike	<b>5.34</b>
<b>ML500-D</b>	Keyed Different Carded	<b>4.38</b>



1" wide laminated steel case. Warded locking mechanism. Patented crowned locking lever. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 5/32". Clearances: vertical 7/16", horizontal 3/8". Two nickel-plated steel keys, 18 changes.

<b>ML10KA</b>	Keyed Alike	<b>3.68</b>
<b>ML10-D</b>	Keyed Different Card	<b>2.73</b>



1 1/2" wide laminated steel case. Multi-spring warded locking mechanism. Cadmium rustproofing. Self-locking steel swivel shackle, nickel-plated, diameter 1/4". Clearances: vertical 5/8", horizontal 9/16". Two nickel-plated steel keys, 40 changes.

<b>ML22KA</b>	Keyed Alike	<b>4.60</b>
<b>ML22-D</b>	Keyed Different Carded	<b>3.64</b>
<b>ML22T</b>	Keyed Different 2/Card-6/box	<b>6.55</b>



**MASTER  
"RATCHET"**

1 3/4" wide laminated steel case. Warded locking mechanism. Patented crowned locking lever. Cadmium rustproofing. Adjustable and removable 3" shackle, cadmium-plated, diameter 9/32". Clearances: vertical 5/8" to 2", horizontal 13/16". Two nickel-plated steel keys, 36 changes.

<b>ML510KA</b>	Keyed Alike	<b>7.86</b>
<b>ML510-D</b>	Keyed Different Carded	<b>6.90</b>




•BICYCLE LOCKS

•LONG SHACKLE PADLOCKS

**2" COVERED ADJUSTABLE SHACKLE BRASS PADLOCK**

2" wide corrosion resistant solid brass body padlock encased in a vinyl cover. 4-pin tumbler cylinder and rugged locking lever. Case hardened, covered steel shackle measures 5/16" in diameter. Clearances: vertical range 2 17/32"-5 15/16"; horizontal 1 1/32". Keys are nickel plated brass and feature matching keyhead covers.




**ML527D 13.81**

**WARDER LONG-SHACKLE PADLOCKS**

Great for freezer lockers, tool cribs, gates and many other applications. 6/box

Adjustable and removable 9/32" diameter steel shackle; ratchet action provides vertical clearances from 2 3/4" to 5 3/8". Horizontal clearance 13/16". Laminated steel case 1 3/4" wide; cadmium rustproofing. Multi-spring locking mechanism. Two nickel plated steel keys; 36 changes.



**ML517 Adjustable Shackle 7.30**

**LONG SHACKLE PADLOCK**




Keyless convenience. Smooth, 3 number dialing. 1 7/8" wide stainless steel outer case over heavy rust resistant steel inner case. Vinyl-coated adjustable and removable steel shackle, diameter 9/32". Clearances: vertical 4 1/4" to 4 3/4" horizontal 13/16" to 1 1/16". Automatic double-acting locking latch. Practically unlimited combinations.

**ML1517 11.15 6/box**

**CABLE LOCK**


Cable lock. Warded mechanism affords a wide range of key changes. 1 1/8" wide laminated steel case. Vinyl coated 7/32" diameter flexible steel cable is an integral part of the lock. Pair of nickel-plated steel keys.



**ML119D 3ft. Cable Lock 8.03**  
 One on a card, six in a shelf pack.

**CABLE LOCK**

Cable lock. Precision 4-pin tumbler mechanism. 1 1/8" wide laminated steel case. Vinyl coated 7/32" diameter flexible steel cable is an integral part of the lock. Pair of brass keys included.




**ML719D 3ft. Cable Lock 11.13**  
 One on a card, six in a shelf pack.

**HARDENED STEEL CHAINS**

- Hardened steel chain is reinforced with boron and titanium
- Hexagonal shape increases the cross section - 30,000 lbs. cut strength
- Black nylon sleeve protects equipment



**ML42DPF 4' 91.10**  
**ML43DPF 5'6" 111.14**



**BARREL COMBINATION LOCK**

Flexible steel security at a budget price. Barrel combination lock, flexible 3 ft. chrome-plated welded steel chain, deluxe, all-weather sleeve. Opened by setting wheels to "secret" 4 digit number.

**ML8148DSG 3ft. Chain Lock, Blue Sleeve 4.84**  
**ML8147DSG 4ft. Chain Lock, Red Sleeve 5.97**



**STEEL CABLE**

Flexible multi-stranded self-coiling steel cable easily stretches out to full 6 ft. length. When released, cable automatically retracts into neat, compact 3 in. coil. Coated to 1/4" diameter with protective clear vinyl to help prevent scratching or marring. Generous-sized end loops securely fastened by wedged clamps designed for over 2,500 lbs. pull strength.

**ML65-D 6.21**

**CABLES & CHAIN**

Protects bikes, lawnmowers, snowblowers, and grills.



**CRIMEFIGHTER CABLES**

Easy-to-coil multi-stranded steel cable clear vinyl-coated to 1/4" diameter.

**ML47D 4 ft. Cable 5.73**  
**ML67D 6 ft. Cable 5.92**



**HEAVY DUTY CABLES**

Heavy duty flexible steel cable, clear vinyl coated 5/16" diameter. Exclusive multi-wedged loop clamps at both ends designed for over 5,000 lbs. pull strength.

**ML68D 6 ft. Cable 10.86**



**CHAINS**

3/16" lightweight welded steel chain. Case-hardened, zinc plated. Flexible vinyl protective cover.

**ML73D 3 ft. Chain 7.05 12/box**  
**ML74D 6 ft. Chain 13.86 6/box**  
 Display Bagged

## SHROUDED PADLOCKS


- Extra security, EXtra strong
- Fully shrouded body for additional pry and cut resistance
- Laminated steel body for superior strength
- Hardened steel shackle on 1DEX and 3DEX
- Standard steel shackle on 7DEX
- 4-pin cylinder helps prevent picking



P/N	Description	Diameter	Shackle Vertical Cl.	Horizontal Cl.	Price
ML1DEX	1 3/4" wide body	5/16"	13/16"	25/32"	12.29
ML3DEX	1 9/16" wide body	9/32"	3/4"	5/8"	11.49
ML7DEX	1 1/8" wide body	3/16"	17/32"	1/2"	9.25

## DUAL FUNCTION SECURITY BAR


Use on hinged or sliding doors. When used on hinged doors, a pivoting ball joint and padded foot assure full contact with the floor without scratching. In sliding door applications, a removable pin releases the yoke end to allow firm seating between the door and the jamb. Constructed of rugged 20-gauge steel and guaranteed for life, this versatile security bar is fully adjustable to fit most standard doors.



ML265DCCSEN  
**24<sup>36</sup>**

## HASPLOCKS

The first hasplock which provides the maximum protection of precision 4 pin tumbler security! Ideal for garage doors, tool and equipment sheds, cabins, washrooms, boat houses, trucks, warehouses, etc. Rugged 1 3/4" wide laminated steel padlock permanently attached to heavy-duty slide bolt and 4 1/2" wrought steel hasp...can't be misplaced, lost or stolen. Easy to install-works on doors opening right or left. Unique pinless hinge. Extra strong rounded staple of hardened steel. Tapered design, with rolled edges to conceal screws. Cadmium rust-proofing. Specially inked serial number, erasable for added protection. Complete with 7 cadmium-plated screws. 2 brass keys, changes practically unlimited.




ML475 17.75 Keyed Differently  
ML475KA 18.71 Keyed Alike

Individually packaged for use on pegboards or in counter displays. Six in a shelf pack.

## WARDER HASPLOCK

Warded security in a laminated steel hasp-lock. Combines sturdy 4 1/2" steel hasp, heavy slide bolt, and 1 3/4" wide laminated steel padlock-all in one handy unit. Works on doors opening either right or left. Powerful pinless hinge. Extra-strong rounded staple of hardened steel. Tapered design, with rolled edges to conceal screws. Cadmium-plated screws. 2 nickel-plated steel keys, 60 changes.

Individually packaged for use on pegboards or in counter displays. Six in a shelf pack.



ML450 12.96 Keyed Differently

## CIRCULAR SHIELDED LOCK

Features Master's unique design which minimizes shackle exposure and decreases vulnerability to cutting and sawing. Disc shaped 2 3/4" dia. lock body repels forced attack. Two interior anti-saw levers deters cutting. Stainless steel lock body resists corrosion. Hardened-steel shackle withstands crowbar attacks. Features pin tumbler lock with double-locking deadbolt action.

Thickness: 1". Shackle Diameter: 3/8". Blister-carded; 6 per shelf pack.



ML40-D  
14.80  
ML40KA  
15.76

## SHACKELESS ROUND SOLID STEEL PADLOCK & HASP

Solid steel hasp for use with 6270 padlock.


9" x 4 1/2"  
12/master carton  
ML770DPFCCSEN 25.30

- Case hardened steel body
- 6 pin W7000 cylinder
- 2 7/8" body

12/master carton  
ML6270 38.54  
ML6270KA 39.49  
ML6270KZ 38.54

- Reinforced die cast body
- 6 pin W7000 cylinder
- 2 7/8" body

12/master carton  
ML6271 38.17  
ML6271KA 31.12  
ML6271KZ 30.17



•BICYCLE LOCKS


**MASTER "SECURITY WITH STYLE"  
HIGH-TECH STYLED BICYCLE LOCKS**

An exclusive, exciting bike security line that sells on sight. Smart contemporary lock complements today's selling bike styles. Extra long chains and cables offer the convenience bike users ask for most often. Range of price points covers the security needs of all ages.

"Security with Style" locks are compact and lightweight for easy carrying. Vinyl and rubber clad to protect bike finish. Choice of dial or barrel combination locks.

Dramatic new packaging reinforces contemporary high-tech look. Card sizes provide easy programming.

Display Carded 6/box.



No. 8144DSG

Scratch-guard combination lock. Extra-long, extra-tough, self coiling 4-ft. steel cable; 7/32" diameter. Vinyl coating protects bike finish.

**ML8144DSG 12.45**



Scratch-guard combination lock. Heavy-duty, extra-long 6-ft. self-coiling cable; 1/4" diameter. Vinyl coating protects bike finish.


**ML8146DSG 11.86**



8119DPF

**RESETTABLE COMBINATION CABLE LOCK**  
 3/8" diameter, 5' long, braided steel cable with resettable combination. Personalize with your easy to remember code. Vinyl coating to help prevent scratching.

**ML8119DPF 15.22**




Four-wheel barrel combination lock. Extra-long, extra-tough, self-coiling 4-ft. steel cable; 3/16" diameter. Vinyl coating protects bike finish

**ML8143DSG 5.49**



- 8 1/4" wide steel lock body
- Double locking shackle withstands 3.5 tons of pull
- 7 pin tumbler for extreme pick resistance
- Carrier bracket included

**ML8184DSG 24.96**




8109D

**KEYED CABLE LOCK**

- Integrated keyed locking mechanism
- Flexible steel cable for strong cut resistance
- Protective coating helps prevent scratching

Carded, 4/shelf pack  
**ML8109D 5ft. 5/16" diam. 12.09**



8114D

**SET-YOUR-OWN COMBINATION LOCK**

- Combination locking mechanism for convenience
- Flexible steel cable for strong cut resistance
- Protective coating helps prevent scratching

**ML8114D 5ft, 5/16" Diam. 12.09**

**FORCE SET-YOUR-OWN  
COMBINATION U-LOCK**



- Hardened steel
- Snap down dust cover protects combination dials from natural elements
- Carrying bracket included
- \$1000 anti-theft guarantee

**ML8280D 28.00**

**CABLE WITH  
LOOPS**

3/8" diameter, braided steel cable with loops. Steel wires for strength and flexibility. Galvanized steel cable and protective sleeves for superior rust resistance. Vinyl coating to help prevent scratching

**ML72DPF 15 ft. Cable 19.06**

**ML78DPF 6 ft. Cable 9.65**

**ML85DPF 4 ft. Cable 8.43**

4/shelf pack



**CABLE WITH  
LOOPS**

9/16" diameter, 6' long, braided steel cable with loops. Steel wires for strength and flexibility. Galvanized steel cable and protective sleeves for superior rust resistance. Vinyl coating to help prevent scratching

**ML79DPF 6 ft. Cable 24.13**  
 4/master carton




## •SAFETY LOCKOUT

### SAFETY LOCKOUT

Ensure worker protection for electric, gas, water, steam, acid, pneumatic and machine systems.

Designed to comply with OSHA standard 1910.213(b5) and all ANSI safety standards.



### Safety Lockouts

High-tensile steel provides extra protection against unauthorized access. Vinyl-coated and plated to resist rust. Accommodates 6 padlocks.

### Color-Coded Pin Tumbler Padlocks

No. 3 Padlock. Case-hardened steel shackle. Laminated steel body. Shackle diameter: 9/32". Body width: 1 1/2". Shackle clearance: 3/4" (vertical); 5/8" (horizontal).

Lock options: keyed-differently, keyed-alike, reserved-keyway, master-keyed and rekeyable cylinders.

Bumper colors provide easy visual identification and coding by department or work team.

### Solid Brass I.D. Tags

Durable brass tags, 1 3/4" long, 1/2" wide, enable instant identification of the assigned padlock user. Names and numbers can be inscribed, stamped or painted on tags.

### LOCKOUT STARTER KITS

#### 420 LOCKOUT

Jaws: 1" inside diameter. Accepts shackles up to 11/32" diameter. 12 per box.

**ML420**  
**547**

#### 421 LOCKOUT

Jaws: 1 1/2" inside diameter. Accepts shackles up to 11/32" diameter. 12 per box.

**ML421**  
**642**

#### SMALL ASSORTMENT


Features two 420 Lockouts, six padlocks (one each of all six colors, and six tags and collars.

**ML1220DSPL**  
**85<sup>56</sup>**

### 9" CHAIN FOR SAFETY LOCKOUT

With pair of mounting S-hooks, for permanently attaching lockouts at designated control and valve sights. Bag of 12.

**ML71S-HKS**  
**15<sup>68</sup>**



### LIGHTWEIGHT SAFETY LOCKOUT PADLOCKS



**410**

**411**

- Durable, lightweight, non-conductive Xenoy® lock body
- Customize on-site with permanent, write-on labels
- Compliance with OSHA "one employee, one lock, one key" directive
- High security, reserved-for-safety cylinder - over 100,000 key changes
- Key retaining - ensures that padlocks are not left unlocked
- Photo I.D. labels, laser engraving and key charting services available

**ML410** Xenoy Safety Padlock. Short body in choice of 8 colors. 1/4" dia. shackle. 1 1/2" high clearance. Includes labels in English, Spanish and French. Key Retaining. **13.42**

**ML411** Xenoy Safety Padlock. Tall body in choice of 8 colors. 1/4" dia. shackle. 1 1/2" high clearance. Includes bilingual labels in English/Spanish and English/French. Key Retaining. **14.82**

Also available in 3" high shackle

Colors available: red, yellow, green, blue, orange, black, teal, purple

### LOCKOUT STATIONS

#### Permanent Centers for Equipment and Departments

- High visibility stations facilitate proper and convenient lockouts when located centrally or at each lockout point. Heavy duty yellow acrylic boards feature eyelets that allow padlocks to be locked until ready to use
- Feature Master Lock Lightweight No. 410 Safety Series™ padlocks, designed exclusively for OSHA lockout compliance:

Durable, lightweight non-conductive Xenoy lock bodies

Include permanent write-on labels (English, French and Spanish) that allow instant on-site customization for each worker

Compliance with OSHA directive "one employee, one lock, one key"

High visibility red locks are supplied keyed-different. Include high security, reserved-for-safety cylinder, with more than 100,000 key cuts possible

Key-retaining - ensures that padlocks are not left unlocked

Include Safety Series™ hasps for lockout by up to 6 workers at each lockout point

Include Safety Series™ heavy duty "Do Not Operate" lockout 1.0. tags with brass grommets

**ML1482BP410** 4-lock station. Contains: 4-410RED Padlocks; 2-420 Hasps; 1-497A Tags (12/pack) **155.44**

**ML1483BP410** 10-lock station. Contains: 10-410RED Padlocks; 2-420 Hasps; 2-497A Tags (12/pack) **297.08**




**ML1482BP410**  
(Shown with steel padlocks)



**ML1483BP410**

•SECURITY HASPS •OUTBOARD MOTOR LOCKS  
•PADLOCK EYES

**PADLOCK EYES**



Simple, secure way to attach a padlock. Hard-wrought 1/8" steel, cadmium rust resistant. Width 2 1/8". Hole size 3/4" x 5/8". Recessed screw seatings. Complete with 6 screws.

**ML60 3.14**

One pair in a box, 12 pairs in a shelf pack.




Same as No. 60 except eye is formed at right angle. Complete with 4 unslotted bolts and nuts.

**ML60-R 3.54**

One pair in a box, 6 pairs in a shelf pack.

**SECURITY HASPS**




Rugged modern security hasps that match the superior construction of MASTER padlocks. Patented design. Heavy hard-wrought steel, ribbed for maximum strength. Tapered design, with rolled edges to conceal screws and prevent prying. Exclusive pinless hinge for added security. Cadmium rustproofing. Extra-strong rounded staple of hardened steel. Complete with 7 screws.

**ML702D 1 1/2" hasp length 3.44**

**ML703D 3 1/2" hasp length 4.08**

**ML704D 4 1/2" hasp length 5.07**

One on a card, 12 in a shelf pack.



**HEAVY-DUTY SECURITY HASP**

Powerful 6" hardened steel super security hasp, with reinforced hinge. Made especially for big padlocks, such as the Master Nos. 19 and 15. Tapered design, with rolled edges to conceal screws and prevent prying. Ribbed for maximum strength. Cadmium rustproofing. Extra-strong rounded staple of hardened alloy steel, reinforced by hardened steel locking plate to resist tons of pull. Complete with 7 mounting screws plus reinforcing bolt for added strength when needed.


One on a card, 6 in a shelf pack.

**ML706D 6" hasp length 9.61**


**HIGH SECURITY HASPS - SPECIAL APPLICATION**

Single and double hinged designs are ideal to fit most corners and angles to secure hard-to-lock property. Recommended for use with Master Lock medium and high security padlocks.

- Heavy gauge hardened steel protects against cutting and sawing.
- Hardened Boron Alloy staple withstands up to 8 tons (Model 721) of cutting force.
- Rolled edges protect against prying and conceal mounting screws
- Hinge pins are hidden and are virtually impossible to remove



720, 721



722


P/N	Length	Max. Shackle Diam.	Design	Hasp Material	Staple Material	Price
ML720DPF	6.75"	7/16"	Single Hinge	Hardened Steel	Hardened Boron Alloy	9.51
ML721DPF	8"	7/16"	Single Hinge	Hardened Steel	Hardened Boron Alloy	13.28
ML722DPF	7.75"	7/16"	Double Hinge	Hardened Steel	Hardened Boron Alloy	10.81

**HEAVY DUTY HASPS**

- Zinc plated hardened steel for added strength and weatherability
- Hardened steel staple resists cutting, sawing and hammering
- Hasp body conceals mounting hardware
- Mounting hardware included for easy installation
- Ideal for utility vans, trailers, gang boxes, vending machines
- Recommend use with 970 shackless lock for maximum security



730



732



731

P/N	Length	Max. Shackle Diam.	Design	Hasp Material	Staple Material	Price
ML730DPF	7 1/4"	7/16"	Straight	Hardened Steel	Hardened Steel	9.96
ML731DPF	5.3/16"	7/16"	90° Angle Brkt	Hardened Steel	Hardened Steel	9.62
ML732DPF	4 3/4"	7/16"	90° Angle Bar	Hardened Steel	Hardened Steel	11.20

**MAGNETIC KEYCASE**



Magnetic key case. For car, home, garage. Use to hide spare key. Snaps closed. Won't open accidentally. Magnet grips any steel surface. Rust-free case eliminates corrosion of case and key.

**ML206-D 1.73**

One on a card, 12 in a shelf pack.

**REKEYING PARTS KIT**



Ideal for installations where rekeying is an ongoing program. Equips security personnel for complete repinning of MASTER rekeyable padlocks. Kit contains 3400 regular and master pins, 200 springs, plus assorted locking nuts, retainer plates, assembly tool, key gage and wrenches...all in a partitioned storage case 11 3/4" x 8" x 2", with built-in parts chart.

**ML291 87.99**



•WEATHER PROOF PADLOCKS •PADLOCK CHAINS  
• LOCKER LOCKS

### PADLOCK CHAINS, SHACKLE COLLARS AND IDENTIFICATION TAG

For chain attachment using collars, order components listed below.  
All items supplied in polybags of 12.

#### CHAINS



**No. ML71CS Qty. 12 Price/Pkg. 20.64**  
**Description:** 9" lightweight zinc-plated steel chain with holder attached. Fits all Master shackle collars (order separately to fit specific locks; see "Collars").....

**No. ML71CH Qty. 12 Price/Pkg. 30.33**  
**Description:** 9" length heavy duty zinc-plated steel chain with chain holder attached. Fits all Master shackle collars EXCEPT 71SC7. (Order shackle collars separately to fit specific locks; see "Collars").....

**No. ML71SHKS Qty. 12 Price/Pkg. 15.68**  
**Description:** 9" chain with pair of mounting "S" hooks

#### COLLARS



**No. ML71SC7 Qty. 12 Price/Pkg. 11.29**  
**Description:** For 7/32" dia. shackles and smaller. Fits Master padlock Nos. 7, 7LF, 7LJ, 8, 8LF, 44, 105, 105LF.....

**No. ML71SC8 Qty. 12 Price/Pkg. 11.29**  
**Description:** For 1/4" dia. shackles and smaller. Fits Master padlock Nos. 22, 22LF, 55, 66, 77, 77LF, 77LJ.....

**No. ML71SC9 Qty. 12 Price/Pkg. 11.29**  
**Description:** For 9/32" dia. shackles and smaller. Fits Master padlock Nos. 3, 3LF, 3LH, 4, 4LF, 4LH, 500, 500LF, 1500, 1500LF, 1500LH, 1525.....

**No. ML71SC10 Qty. 12 Price/Pkg. 11.29**  
**Description:** For 5/16" dia. shackles and smaller. Fits Master padlock Nos. 1, 1LF, 1LJ, 1LN, 2, 2LF, 2LJ, 21, 21LF, 21LJ, 21LN, 81, 81LF, 81LJ, 81LN, 82, 82LF, 82LJ.....

**No. ML71SC12 Qty. 12 Price/Pkg. 11.29**  
**Description:** For 3/8" dia. shackles and smaller. Fits Master padlock Nos. 5, 5LF, 5LJ, 6, 6LF, 6LJ.....

**No. ML71SC14 Qty. 12 Price/Pkg. 11.29**  
**Description:** For 7/16" dia. shackles and smaller. Fits Master padlock Nos. 15, 17, 220, 220LH, 230, 230LH, 27, 27LH, 29LH, 29LH-WO.....

#### IDENTIFICATION TAG



**No. ML71TAG Qty. 12 Price/Pkg. 17.92**  
**Description:** 1/2" x 1 3/4" brass tag for attaching to Master shackle collars (order collars separately to fit specific locks; see "Collars").....


#### CABLE/LOCK SET



6 ft. self-coiling cable and covered solid brass padlock.  
Cable: 1/4" diameter  
Padlock: 1/4" steel shackle  
**ML614DAT Cable/Padlock 11.26**

#### SWIVEL HEAD™ RECEIVER LOCK

1/2" & 5/8" chrome steel swivel head lock



**ML2866DAT 14.88**

#### WEATHER COVERED PADLOCKS

1 1/2" wide laminated steel body encased in a high performance thermoplastic cover. 4 pin tumbler cylinder and dual locking steel levers for pick and pry resistance. Shackle is case hardened, measuring 1 1/8" long with a 9/32" diameter. Insert molded shackle cover provides protection against the elements.  
Shackle clearances: vertical 1", horizontal 1/2". Keys are nickel plated brass and feature colored covers that match body colors. Two keys are provided per lock except 3 packs that include a total of 3 keys. *Carded, 4/shelf pack*

<b>ML311D</b>	Black	11.48
<b>ML311TRI</b>	Black, 3 pack	25.26
<b>ML312D</b>	Blue	11.48
<b>ML312TRI</b>	Blue, 3 pack	25.26
<b>ML313D</b>	Green	10.78
<b>ML315D</b>	Yellow	11.48
<b>ML317DSPT</b>	Camouflage	13.38

### LOCKER LOCKS 50 locks per master carton.

Five pin tumbler mechanism-endorsed by lock experts as the safest, most dependable type of key security. Unique keyway, thousands of changes. Hard-wrought steel case and inner parts rust resistant. Can be installed on right hand or left hand doors with standard locker piercing. Two embossed brass keys, two case-hardened unslotted bolts, and two "kep" nuts with each lock. Wide range of master-keyed systems-tailored to specific requirements. Available for group-keyed installations with 4 to 7 persons having access to the same full-length locker as well as to individual box lockers (add suffix "GK" to number). Key removable only in locked position. Available on request with key removable in both locked and unlocked positions. To order, specify with suffix "R" (example: 1710R, 1714MK-R).

#### BUILT-IN KEY LOCKS PIN TUMBLER SECURITY



#### Dead Bolt Cylinder Lock

For steel lockers with handles and vertical locking rods; can also be used on box lockers. Solid locking bolt 3/4" x 1/4", with 5/16" throw.  
**ML1710MK Master Keyed 16.52**  
**ML1710KA Keyed Alike 12.47**

#### Spring Bolt Cylinder Lock

For box lockers. Locks automatically when door is closed. Solid locking bolt, 3/4" x 1/4", with 5/16" throw.  
**ML1714MK Master Keyed 16.52**



- Exciting, colorful outdoor protection
- High-tech thermoplastic shell designed to withstand the elements
- 1 9/16" wide laminated steel body for superior strength
- Hardened steel shackle with molded cover
- Matching colored keyhead for added convenience
- Ideal for all outdoor applications

## SELECT ACCESS™

### Key Storage Locks

Securely store keys to the home, car and other property, and authorize access to the select few. Each model has a large storage compartment that hold over 5 keys. The solid, reinforced zinc bodies withstand the harshest elements and physical attacks for years of dependable use. With the four dial, set-your-own combination feature, your customer can select a code that is easy to remember.

<b>ML5400-D</b>	Portable Key Storage Product	<b>36.12</b>
<b>ML5401-D</b>	Wall Mount Key Storage Product	<b>33.87</b>
<b>ML1280SHK</b>	Counter Display w/6 No. 5400D	<b>203.52</b>
<b>ML1280MNT</b>	Counter Display w/6 No. 5401D	<b>190.80</b>



5400




5401

Available in Counter Displays  
 Containing 6 Locks

## CARABINERS

Offer your customers a great accessory - these brightly colored and durable carabiners provide a simple and convenient way to hold key rings, small tools and sporting gear.



4 vibrant, translucent colors - red, green, blue and purple. 3" long.

**ML1270CAR**  
 Display w/100 pcs asst. colors  
**169<sup>87</sup>**



**ML603D**  
 Carded, 1/card  
**2<sup>22</sup>**

## RETRACTABLE CABLE LOCKS


Light enough to carry anywhere you go and perfect for deterring would-be snatch-and-grab thieves. Ideal for attaching a purse, briefcase, luggage, sports bag, skis, helmet or inline skates to virtually anything, keeping your belongings secured where you left them.

Available in assortments for four translucent colors: red, blue, green and clear. 3 digit combinations.


- Set your own combination for personalization and easy recall
- Cable retraction for a tight fit around objects
- Vinyl coated cable to prevent scratching
- Push button retraction for easy cable recoiling

<b>ML4603D</b>	24" x 1/16" cable	<b>11.59</b>
<b>ML4605D</b>	36" x 3/32 cable	<b>13.32</b>

Both numbers come 4/pack, in 4 colors



4603



4605

## THE TRANSLUCENT SERIES

This front keyway padlock offers convenience and security in unique styles and shapes. The Translucent Series provides strength and versatility for use both indoors and out. The ball bearing locking mechanism ensures durability and pull resistance. The shrouded hardened steel shackle deters cutting and the chrome plated zinc body prevents red rusting.

A two-position adjustable shackle on the 193D allows for added application flexibility. Matching colored key covers make identification quick and easy.

- Front access keyway for ease of use.
- Shrouded hardened steel shackle for protection against cutting
- Chrome plated zinc body for strength and durability
- Matching covered key heads for easy identification
- Adjustable two-position shackle on the 193 for application flexibility

Both numbers come in a shelf pack of 4 pcs: 1 each of red, blue, green and purple.

P/N	Shackle			Price
	Diam.	Vert. Cl.	Hor. Cl.	
<b>ML192D</b>	1/4"	5/8"	3/4"	<b>8.97</b>
<b>ML193D</b>	1/4"	5/8"-1 1/2"	3/4"	<b>9.06</b>



192



193

## STEERING WHEEL LOCKS

Fits steering wheels up to 13 1/2" in diameter

- Adjusts to fit all wheel types
- One size fits most vehicles
- Single steering wheel cut cannot defeat
- Push button to lock without using a key



**ML252DAT**  
**34<sup>41</sup>**

- Locks steering wheel to brake pedal
- Adjustable length fits most vehicles
- Extends 30"




**ML256DAT**  
**17<sup>11</sup>**

## streetsmart security™

### Street Cuff® - Street Links®

- Compact and lightweight - easily fit in cargo areas
- 3" cuffs fit fork legs or frames; can be secured to sign posts, parking meters or another bike
- Push button keyless locking convenience
- Heat treated patented lock core is virtually pick proof
- Pivoting action combined with 22" length provides lockdown versatility



8299DPS

8299DPS: Heavy gauge cast steel provides maximum cut and pry resistance. Slick, metallic finish. 163.23



8290DPS

8290DPS: Hardened chrome plated steel resists cutting or prying. Folds in half for convenient storage. 66.67



ML8211DPS  
Holster  
1468

### Quantum 20™ Cable Lock


- 5' braided steel cable
- High security cable is vinyl coated
- Looped (1) cable end for increased versatility
- Integrated mini-U lock for enhanced security
- 7 pin anti-drill tubular lock cylinder



ML8156DPS  
5875


### Quantum 20™ Cable Lock

- Hardened steel sleeve - 1 3/16" OD
- 6' vinyl coated steel braided cable
- 7 pin anti-drill tubular lock cylinder
- Vinyl coating prevents scratches



ML8218DPS  
3428

### Security Chains w/Pro Series® Lock



8293DPS  
8296DPS  
ML8293DPS 4' 108.82  
ML8296DPS 5' 6" 126.96  
ML8296D 5' 6" 98.99  
(w/o lock)

### Mini Me U-Lock

- 9/16" U-lock shackle
- Hardened shackle
- 7 pin anti-drill tubular cylinder
- Vinyl coated



ML8118DPS  
2210

### Chrome Lock with Reminder Cord & Carrying Case



ML8303DPS  
1958

### 3" with Reminder Cord and Carrying Case



ML8304DPS  
2154


8305DPS  
ML8305DPS  
3916



### Python Adjustable Locking Cable



B413



Python™ Adjustable Locking Cable secures anything within its grasp. It's the only locking cable that is always the right length for your application. This exclusive, patented product holds the flexible steel cable tight at any position for infinite possibilities.

- Infinite Locking Positions
- Application Flexibility
- Rekeyable Cylinder
- Cut Resistance
- Weather Tough
- Scratch Resistant

### Python Assemblies & Components

P/N	Desc	Price
ML8401D	Lock Body	22.26
ML8401KAD	Lock Body, KA	23.22
ML8405D	4' Cable	6.32
ML8412D	12' Cable	14.13
ML8413XDPF	6' Cable/Lock Assy	22.26
ML8413KA	6' Cable/Lock Assy KA	23.21
ML8430D	30' Cable	32.35

### PYTHON REKEYING PARTS KIT

Rekeying Parts Kit includes: wafers, wafer springs, cylinder retaining wafers, cylinders, key gauge, cylinder change key and wafer removal tool.

ML8491 87.99



**CASH BOXES**

<p><b>6 COMPARTMENT TRAY - COMBINATION LOCKING</b></p>  <p><b>ML7110D</b> <b>48<sup>53</sup></b></p> <ul style="list-style-type: none"> <li>• Keyless convenience</li> <li>• Retaining clip holds bills and checks in place</li> <li>• Supervisory combination lockout</li> </ul> <p>12 5/8" x 8 1/2" x 5 9/16"</p>	<p><b>6 COMPARTMENT TRAY</b></p>  <p><b>ML7111D</b> <b>21<sup>51</sup></b></p> <p>11 13/16" x 9 1/2" x 3 9/16"</p>	<p><b>5 COMPARTMENT TRAY</b></p>  <p><b>ML7112D</b> <b>16<sup>39</sup></b></p> <p>9 7/8" x 7 1/8" x 3 9/16"</p>
<p><b>7 COMPARTMENT TRAY</b></p> <p><b>Comes with security latch.</b></p>  <p>11" x 7 3/4" x 4"</p> <p><b>ML7113D</b> <b>13<sup>50</sup></b></p>	<p><b>3 COMPARTMENT TRAY</b></p>  <p>7 7/8" x 6 1/4" x 3 9/16"</p> <p><b>ML7119D</b> <b>14<sup>47</sup></b></p>	<p><b>LOCKING CASH DRAWER W/ 9 COMPARTMENT TRAY</b></p> <ul style="list-style-type: none"> <li>• Removable cash drawer for convenience</li> <li>• Key lockable with push button release for added security</li> <li>• Alarm bell sounds when drawer is opened</li> <li>• Spring loaded bill weights</li> </ul>  <p>5 1/2" x 14" x 21"</p> <p><b>ML7118D</b> <b>127<sup>78</sup></b></p>


**HEAVY DUTY KEY CABINETS**

- Heavy duty steel construction with full length, hinged door and built-in, slotted key racks
- Durable, beige powder coated cabinet finish
- Rekeyable W1 wafer cylinder with improved pick resistance
- Key retaining security insures key cannot be removed until cabinet is locked
- 2 keys, key holders, cross reference chart and installation hardware

Code	Capacity	Dimensions	Price
ML7122D	30 Keys	12" x 8" x 2 1/2"	49.45
ML7123D	48 Keys	7 1/2" x 28 3/4" x 1 3/4"	82.35
ML7124D	50 Keys	28 3/4" x 7 1/2" x 1 3/4"	82.35
ML7125D	60 Keys	12 1/4" x 10 3/4" x 3"	82.95
ML7126D	120 Keys	17" x 13" x 3 1/4"	134.00
ML7127D	240 Keys	20" x 16 1/2" x 5"	225.75
ML7128D	330 Keys	20" x 16 1/2" x 5"	269.75
ML7129	500 Keys	25 1/4" x 18" x 5 1/2"	428.50
ML7130	730 Keys	25 1/4" x 18" x 7"	565.50



7126D



7123D

**Plastic Key Tag**  
20 tags/bag

**ML7116D**  
**6<sup>28</sup>**/bag



**Plastic Key Holder**  
For use with 7122D-7130  
20 holders/bag

**ML7117D**  
**6<sup>28</sup>**/bag





## NIGHTWATCH™ DEADBOLTS

Two-thirds of US homeowners have unknowingly exposed themselves to the risk of an intruder entering their home with a copy of their key. Every time a homeowner lends out a key to a contractor or babysitter, or uses valet parking at a restaurant or hotel, of if they or a family member loses a key, there is a chance that their key could be duplicated and circulated to people they don't know without their knowledge.



NightWatch™ deadbolts were specifically created by Master Lock Company to prevent an intruder from entering, even if they have a copy of the homeowner's key. It installs and functions like a standard deadbolt but once the exclusive NightWatch feature is activated, all keys are blocked from unlocking the deadbolt.

With NightWatch deadbolts on their doors, homeowner will enjoy the peace of mind that comes from knowing that unaccounted for keys are rendered harmless.

- When the NightWatch feature is engaged, the lock cannot be opened from the outside. Even with a duplicate key.
- Can only be engaged or disengaged from inside the home.
- Exceeds ANSI Grade 2 specifications.
- Fits all doors - replaces all brands.
- Limited Lifetime Finish and Mechanical Guarantee.
- All NightWatch deadbolts feature the exclusive Master Lock BumpStop™ Advanced Cylinder Technology to resist bump attacks.




- Hardened steel core throw bolt resists cutting
- Anti-pry collar on exterior functions serves to resist prying and allows for ease of installation
- Longer tie screws to accommodate doors up to 2" thick
- Six way adjustable latch - 2 3/8" to 2 3/4" backset; square, radius and drive-in latch face options
- Master Lock exclusive Silvabond™ antimicrobial finish - reduces the spread of bacteria, mold and mildew

### NightWatch Deadbolt

P/N	Function	Finish	Price
MLDSNRN0603PBOX	Single Cyl.	Polished Brass	33.96
MLDSNRN0605BOX	Single Cyl.	Antique Brass	31.28
MLDSNRN0615BOX	Single Cyl.	Satin Nickel	33.96

### NightWatch Combination Deadbolt

P/N	Function	Finish	Price
MLDSNRN1003PBOX	Single Cyl.	Polished Brass	57.42
MLDSNRN1005BOX	Single Cyl.	Antique Brass	52.88
MLDSNRN1015BOX	Single Cyl.	Satin Nickel	57.42



Inside View

### KEYLESS CONVENIENCE

NightWatch is also available with the Master Lock exclusive Dial Combination Deadbolts

- Operates like any dial combination lock
- Opens with combination or key
- Provides combination backup for those who prefer keyed access for daily use